



Yes, you can.®

Januari 2021

Invacare nv
Autobaan 22 - 8210 Loppem - België - www.invacare.be

Invacare® **Top End®**
Force Eliminator OSR I



Datum :

Referentie:

Dealer:

Gelieve uw keuze aan te geven door een kruisje in het vierkantje


Standaard optie

Optie zonder meerprijs

CODE	Omschrijving	Publieke prijs in €, 6% BTW inbegrepen
BASE MODEL:		
BASE MODEL: (see definitions)		
TE10021	Eliminator OSR - I Cage Frame Note: Chair ordered without front wheel, rear wheels, front tire, rear tires, pushrims or axles starts at \$3,409	5.000,00
Assembly: (see definitions)		
TE10046	Unassembled	
TE10047	Assembled	230,00
FORK TYPE:		
TE65218	Aluminum Fork	
TE65219	Carbon fiber Fork - only with bottom mount track control / not with custom fork color options	800,00
FRAME OPTIONS: (see definitions and diagram below)		
SEAT TYPE:		
TE75013	Standard Seat Upholstery, Omit Solid Seat	
TE75010	Aluminum Solid Seat	100,00
TE75092	Carbon Solid Seat	500,00
CAMBER TUBES:		
TE75018	Standard Full Camber Tube	
TE75015	2" Cut - Out Camber Tube	270,00
TE75016	3" Cut - Out Camber Tube	270,00
TE75017	4" Cut - Out Camber Tube	270,00
FRAME WIDTH: (see definitions and diagrams to the right)		
UPPER FRAME WIDTH:		
TE15195	10.0" Upper Frame Width	
TE15196	10.5" Upper Frame Width	
TE15197	11.0" Upper Frame Width	
TE15198	11.5" Upper Frame Width	
TE15199	12.0" Upper Frame Width	
TE15200	12.5" Upper Frame Width	
TE15201	13.0" Upper Frame Width	
TE15202	13.5" Upper Frame Width	
TE15203	14.0" Upper Frame Width	
TE15204	14.5" Upper Frame Width	



CODE	Omschrijving	Publieke prijs in €, 6% BTW inbegrepen
TE15205	15.0" Upper Frame Width	
TE15206	15.5" Upper Frame Width	
TE15207	16.0" Upper Frame Width	
TE15208	16.5" Upper Frame Width	
TE15209	17.0" Upper Frame Width	
TE15377	Custom Upper Frame Width (See Specials Request Box)	100,00 €
LOWER FRAME WIDTH:		
TE15217	11.0" Lower Frame Width	
TE15218	11.5" Lower Frame Width	
TE15219	12.0" Lower Frame Width	
TE15220	12.5" Lower Frame Width	
TE15221	13.0" Lower Frame Width	
TE15222	13.5" Lower Frame Width	
TE15223	14.0" Lower Frame Width	
TE15224	14.5" Lower Frame Width	
TE15225	15.0" Lower Frame Width	
TE15226	15.5" Lower Frame Width	
TE15227	16.0" Lower Frame Width	
TE15228	16.5" Lower Frame Width	
TE15229	17.0" Lower Frame Width	
TE15230	17.5" Lower Frame Width	
TE15231	18.0" Lower Frame Width	
TE15378	"Custom Lower Frame Width (See Specials Request Box)"	100,00
AXLE POSITION: (see diagram below)		
TE15236	5.0" Axle Position	
TE15237	5.5" Axle Position	
TE15238	6.0" Axle Position	
TE15239	6.5" Axle Position	
TE15240	7.0" Axle Position	
TE15241	7.5" Axle Position	
TE15242	8.0" Axle Position	
TE15381	Custom Axle Position (See Specials Request Box)	100,00
SEAT HEIGHT: (see definitions and diagram below)		
FRONT SEAT HEIGHT:		
TE15295	16.0" Front Seat Height	
TE15296	16.5" Front Seat Height	
TE15297	17.0" Front Seat Height	
TE15298	17.5" Front Seat Height	
TE15299	18.0" Front Seat Height	
TE15300	18.5" Front Seat Height	
TE15301	19.0" Front Seat Height	
TE15302	19.5" Front Seat Height	
TE15303	20.0" Front Seat Height	
TE15382	Custom Front Seat Height (See Specials Request Box)	100,00
REAR SEAT HEIGHT:		
TE15280	15.0" Rear Seat Height	
TE15281	15.5" Rear Seat Height	
TE15282	16.0" Rear Seat Height	
TE15283	16.5" Rear Seat Height	
TE15284	17.0" Rear Seat Height	
TE15285	17.5" Rear Seat Height	
TE15286	18.0" Rear Seat Height	

	CODE	Omschrijving	Publieke prijs in €, 6% BTW inbegrepen
	TE15287	18.5" Rear Seat Height	
	TE15288	19.0" Rear Seat Height	
	TE15289	19.5" Rear Seat Height	
	TE15290	20.0" Rear Seat Height	
	TE15379	Custom Rear Seat Height (See Specials Request Box)	100,00
CAGE SIZING: (see definitions and diagram below)			
CAGE DEPTH:			
	TE15392	16.0" Front Seat Height	
	TE15393	16.5" Front Seat Height	
	TE15270	17.0" Front Seat Height	
	TE15394	17.5" Front Seat Height	
	TE15395	18.0" Front Seat Height	
	TE15396	18.5" Front Seat Height	
	TE15385	Custom Cage Depth (See Specials Request Box)	100,00
OVERALL LENGTH:			
	TE15245	64" Overall Length	
	TE15247	66" Overall Length	
	TE15249	68" Overall Length	
	TE15251	70" Overall Length	
	TE15253	72" Overall Length	
	TE15255	74" Overall Length	
	TE15257	76" Overall Length	
	TE15380	Custom Overall Length (See Specials Request Box)	100,00
 <p>The diagram illustrates the key dimensions of a bicycle frame. It shows a side view of the frame with the following labels: 'Cage Depth' (the distance between the top and bottom tubes), 'Rear Seat Height' (the vertical distance from the bottom bracket to the rear seat post), 'Front Seat Height' (the vertical distance from the bottom bracket to the front seat post), 'Axle Position' (the horizontal distance from the bottom bracket to the front axle), and 'Overall Length' (the total horizontal distance from the rear axle to the front axle).</p>			
CAMBER ANGLE: (see definitions and diagram below)			
	TE45005	11 Degree Camber	
	TE45006	12 Degree Camber	
	TE45007	13 Degree Camber	
	TE45008	15 Degree Camber	
WHEEL SETS: (see definitions and diagram to the left)			
FRONT WHEEL TYPE:			
	TE50150	Omit Front Wheel Build for 20"	
	TE50145	20" Metal Spoked	
	TE50146	20" Corima Carbon Fiber	800,00
REAR WHEEL TYPE:			
	TE50153	Omit Rear Wheels & Axles, Build for 700C	
	TE50152	Omit Rear Wheels & Axles, Build for 26"	
	TE50143	High Performance, 700C (Clincher)	
	TE50139	High Performance, 26" (Clincher)	160,00
	TE50147	Corima Carbon Fiber Disc, 700C (Tubular)	3.250,00
	TE50148	Corima Carbon Fiber 4 Spoke, 700C (Tubular)	3.300,00
FRONT TIRE TYPE:			
	TE50157	Omit Front Tire	
	TE50464	20" Vittoria	
	TE50463	20" Panaracer	50,00
REAR TIRE TYPE:			
	TE50164	Omit Rear Tires	
	TE50236	26" Panaracer (Clincher - 23mm)	
	TE50460	700C, Black (Clincher - 19mm)	
	TE50241	700C Continental Sprinter (Tubular - 22mm)	90,00
	TE50461	700C Panaracer Rapide (Tubular - 20mm)	100,00
	TE50462	700C Continental Podium (Tubular - 22mm)	120,00
STEERING: (see diagrams below)			
STEERING HANDLE TYPE:			
	TE65120	Horizontal Steering Handle	

	CODE	Omschrijving	Publieke prijs in €, 6% BTW inbegrepen
	TE65121	Vertical Steering Handle	
TRACK CONTROL:			
	TE65115	Triangle Track Control	
	TE65116	Oval Track Control	
TRACK CONTROL MOUNT:			
	TE65110	Top Mount Track Control	
	TE65111	Bottom Mount Track Control	
PUSHRIMS: (Size Selection Required - see diagram)			
RUBBER COATED PUSHRIM SIZE: (Diameter)			
	TE50341	Omit Pushrims	
	TE50330	12.0" Diameter Pushrims	
	TE50331	12.5" Diameter Pushrims	
	TE50332	13.0" Diameter Pushrims	
	TE50333	13.5" Diameter Pushrims	
	TE50334	14.0" Diameter Pushrims	
	TE50335	14.5" Diameter Pushrims	
	TE50336	15.0" Diameter Pushrims	
	TE50337	15.5" Diameter Pushrims	
	TE50338	16.0" Diameter Pushrims	
	TE50340	Custom Pushrim Size (See Specials Request Box)	100,00
COLOR OPTIONS:			
FRAME COLOR:			
	TE55018	Wet Black	
	TE55019	Black Prism	
	TE55017	Stealth Black	
	TE55010	Midnight Blue	
	TE55011	Royal Blue	
	TE55012	Electric Blueberry	
	TE55023	Stealth Grey	
	TE55053	Agriculture Green	
	TE55008	Grasshopper Green	
	TE55054	Neon Green	
	TE55006	Sunkissed Orange	
	TE55005	Simple Orange	
	TE55051	Neon Orange	
	TE55015	Bubblegum Pink	
	TE55057	Neon Pink	
	TE55055	Lilac Purple	
	TE55001	Simple Red	
	TE55002	Tangerine Red	
	TE55003	Raspberry Red	
	TE55050	Neon Red	
	TE55020	Silver Metallic	
	TE55016	White Snow	
	TE55007	Safety Yellow	
	TE55052	Neon Yellow	
	TE55066	Raw	350,00
FORK COLOR:			
	TE55068	Flat Black	
	TE55041	Wet Black	200,00
	TE55042	Black Prism	200,00
	TE55040	Stealth Black	200,00
	TE55033	Midnight Blue	200,00
	TE55034	Royal Blue	200,00
	TE55035	Electric Blueberry	200,00

	CODE	Omschrijving	Publieke prijs in €, 6% BTW inbegrepen	
	TE55046	Grey	Stealth Grey	200,00
	TE55061	Green	Agriculture Green	200,00
	TE55031		Grasshopper Green	200,00
	TE55062		Neon Green	200,00
	TE55029		Sunkissed Orange	200,00
	TE55028	Orange	Simple Orange	200,00
	TE55059		Neon Orange	200,00
	TE55038	Pink	Bubblegum Pink	200,00
	TE55065		Neon Pink	200,00
	TE55063	Purple	Lilac Purple	200,00
	TE55024	Red	Simple Red	200,00
	TE55025		Tangerine Red	200,00
	TE55026		Raspberry Red	200,00
	TE55058		Neon Red	200,00
	TE55043	Silver	Silver Metallic	200,00
	TE55039	White	White Snow	200,00
	TE55030	Yellow	Safety Yellow	200,00
	TE55060		Neon Yellow	200,00
UPHOLSTERY:				
MATERIAL & COLOR:				
	TE30001	Nylon, Black Upholstery		
BACK UPHOLSTERY STYLE:				
	TE30028	Adjustable Tension Back Upholstery		
SEAT UPHOLSTERY:				
	TE30016	6" Seat Upholstery Length		
SEAT CUSHIONS:				
	TE30018	Soft Seat Cushion	75,00	
ACCESSORIES:				
SAFETY:				
	TE25015	Safety Light, Front (White)	21,00	
	TE25016	Safety Light, Rear (Red)	21,00	
	TE25018	Helmet, Small/Medium	58,00	
	TE25019	Helmet, Medium/Large	58,00	
	TE25073	Safety Flag and Mount	95,00	
POSITIONING:				
	TE25001	Click Strap, 8" Small	123,27	
	TE25002	Click Strap, 10" Medium	132,03	
	TE25003	Click Strap, 12" Large	138,02	
	TE60014	Clamp-On Footrest, Adjustable		
PERFORMANCE ENHANCEMENT:				
	TE25024	Cordless Computer	132,00	
	TE25022	Wheel Alignment Gauge	327,10	
TRAINING:				
Indoor training roller available but sold and shipped separately.				
	TE25033	Heart Rate Monitor	119,00	
	TE25076	Garmin Computer/Heart Rate Monitor	900,00	
BAGS:				
	TE25031	Wheel Bag	350,00	
APPAREL:				
	TE25084	Lemon Yellow Top End T-Shirt	20,00	
	TE25085	Grey Top End T-Shirt	20,00	
	TE25086	Grey Top End Racer Back Tank Top	20,00	
Please select a size for your shirt selection:				
	TE25087	Extra Small		
	TE25088	Small		
	TE25089	Medium		
	TE25090	Large		
	TE25091	Extra Large		
	TE25092	XX Large		
	TE25093	XXX Large		

DEFINITIONS:	
Assembled vs Unassembled:	If TE10046 (Unassembled) is selected the chair will require about 60 minutes of assembly upon delivery (instructions provided). If TE10047 (Assembled) is selected the chair will be fully assembled upon delivery. Shipping rate is \$150 for all shipments in the continental US. Freight quotes for shipments outside the continental US are available upon request.
Open V Cage:	Recommended for beginner level athletes with T-10 SCI and above as that level of injury requires more of a bucket type seat. Designed for people who prefer the seated position and/or may also want to kneel. This cage does require good transfer skills.
U Cage:	Recommended for experienced customers who exclusively use the kneeling position. Customers tend to have good balance and are T-10 injury level or below. U cage includes an aluminum knee plate for extra rigidity.
I Cage:	I Cage is the easiest transfer style to use but cannot be converted to a kneeling position. This style is typically used by higher level injury athletes who sit in the traditional feet forward position with an adjustable fixed style footrest.
Aluminum Solid Seat:	Provides a solid surface. Not recommended if customers intend to adjust the seat upholstery.
Carbon Fiber Solid Seat:	Provides a solid Carbon fiber surface. Not recommended if customers intend to adjust the seat upholstery.
Cut Out Camber Tube:	The distance from the front of the cut Camber Tube to the back of the support tube. Recommended when a customer who desires a kneeling position requires additional space for their lower legs. This additional space is accomplished by removing the center portion of the camber tube after welding. Creates more room for legs with low seat heights.
Camber Angle:	Angle of the wheels. Measured from vertical to the angle of the rear tire on one side.
Upper Frame Width:	Measured directly above the center of the Camber Tube, between the insides of the Fenders. Maximum width is 17".
Lower Frame Width:	Measured at the top of the Seat Rail and from the outside of the Uprights. Maximum width is 18".
Rear Seat Height:	Measured from the top of the Seat Rail to the ground.
Overall Length:	Measured from the further most outsides of the front & rear tires.
Axle Position:	Measured from the center of the Camber Tube to the front of the rear Upright. (This needs to be parallel to the ground.)
Knee Height:	Measured from the top of the U-Cage Horizontal Cross Member to the ground.
Knee Depth:	Measured from the back of the Rear Upright to the front of the U-Cage Cross member. (This needs to be parallel to the ground.)
Knee Width:	Measured between the inside of the U-Cage vertical tubing.
Wheel Size:	Eliminator OSR Racing wheelchairs use 700c and 26" size wheels with threaded axles. A standard threaded axle 700c metal spoke wheel with inflated black primo tire measures 26-1/2" +/- 1/8" from outside to outside of the tire. A standard threaded axle 26" metal spoke wheel with inflated Panaracer tire measures 24-1/2" +/- 1/8" from outside to outside of the tire.
Pushrim Size:	Measurement from outside to outside of the metal tubing of the pushrim.

PRODUCT SPECIFICATIONS:	
Weight Capacity:	250 pounds, 113 Kilograms
Approximate Chair Weight:	21 pounds, 9.5 Kilograms
Approximate Box Weight:	37 pounds, 17 Kilograms
Box Dimensions:	77" X 27" X 23"

NOTES:	
Tubular Tires:	A tubular tire (or sew-up) is a bicycle tire that is stitched closed around the inner tube to form a torus. The combination is then glued onto the wheel.
Clincher Tires:	A clincher tire uses a separate airtight inner tube enclosed by the rim which supports the tire carcass and maintains the bead lock. An advantage of this system is that the inner tube can be easily accessed in the case of a leak to be patched or replaced.
Front Tire:	Vittoria tire has a thicker tread pattern and is great for training and racing.
Rear Tire Options:	- 700c Continental Sprinter tires are great for racing and training - 700c Continental Podium are thinner lighter, better for racing
Fenders:	Fenders are made to accommodate a tire that is up to 25mm.
Omit Wheels:	When omit wheels is selected, product will not come with wheels, tires, tubes, pushrims or axles.