



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

SEPTEMBER 2024
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

AVIVA RX 40 Standard Seating

Standard Features

- Max user weight 136kg
- Crash tested ISO 7176 -Part 19
- One piece seat plate width 380mm (15") or 430mm (17") with standard foam cushion (50mm, 2")
- seat depths 410mm - 510mm (16" - 20")
- Tension adjustable backrest
- Standard T-Armrests, detachable with short armpad
- Manually settable Seat Tilt 0 - 15°
- Manual settable backrest Recline (0° - 30°, in 3.75° steps)
- 80° hangers with fixed footplate
- LiNX Control REM211 with standard Bracket
- Choice of 5 Shroud colours, 5 Rim insert colours
- 9" (225 mm) x 2.80 (70 mm) Castor, pneumatic
- 14" (355 mm) x 3" (75 mm), Pneumatic drive wheels
- CTC Suspension Control - Traction - Comfort
- 6 km/h (4mph) 4 pole Durawatt motors and 60Ah batteries
- 8A (200 - 250V) charger
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £4,521



Please make your selection with a cross in the box ○ Free of charge ◆ standard feature POA special request

Customer weight = KG

Code	Description	
BASE MODEL*		
JBF0001	AVIVA RX 40 Base Model Max user weight up to 136 kg includes Performance Package: 120A Power Module + minimum 60 Ah Batteries	£4,521
JBX1300	Special Extended lead time: + 10 days	POA
CHASSIS WIDTH*		
JBL2810	Chassis Narrow (560 mm/22")	◆
SEATING TYPE*		
JBF2105	Modulite Standard Seat Standard Seat Plate and Backrest Frame in fixed Width (NC 1401)	◆

SEAT FRAME*			
JBF2110	<input type="checkbox"/>	One Piece Seat Plate	◆
SEAT WIDTH*			
JBF2121	<input type="checkbox"/>	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	○
JBF2122	<input type="checkbox"/>	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	◆
SEAT DEPTH*			
JBF2132	<input type="checkbox"/>	Seat Depth 410 mm (NC 2197)	○
JBF2134	<input type="checkbox"/>	Seat Depth 460 mm	○
JBF2136	<input type="checkbox"/>	Seat Depth 510 mm	○
SEAT CUSHION*			
JBF2141	<input type="checkbox"/>	Standard Foam Cushion 50 mm height	◆
JBF2142	<input type="checkbox"/>	Matrx Flo-tech Cushion Flo-tech Lite	£117
JBF2143	<input type="checkbox"/>	Matrx Flo-tech Contour Visco; (2-way stretch material)	£165
JBF2140	<input type="checkbox"/>	Without seat cushion	○
BACKREST SUPPORT*			
JBF2161	<input type="checkbox"/>	Backrest frame, detachable, height 480 mm For Tension Adjustable Upholstery/Matrx Backs	◆
BACKREST UPHOLSTERY / CUSHION*			
JBF2171	<input type="checkbox"/>	Tension Adjustable Upholstery nylon overlay short = 480 mm / 7 straps measured from seat plate to top of upholstery 480 mm	◆
JBF2170	<input type="checkbox"/>	Without Backrest Upholstery (Back Posts/Back Frame only)	○
UPHOLSTERY TYPE*			
JBF2151	<input type="checkbox"/>	Black Fabric Upholstery (Nylon w 2141; 2-way-stretch material w 2142, 2143)	◆
ARMREST (Pair)*			
JBF2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆
JBF2181	<input type="checkbox"/>	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm	£44
JBF2183	<input type="checkbox"/>	Inrigged Armrests Reduces SW by 25 mm each side	○
ARMPAD (Pair)*			
JBF2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆
JBF2196	<input type="checkbox"/>	Long Armpad (375 mm)	○
JBF2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	○
JBF2199	<input type="checkbox"/>	Soft Armpad In combination with 10-way switch, the switch 2251 has to be mounted on the opposite side of the remote	○
HEADREST / NECKREST - Adequate headrest option must be selected*			
JBF1350	<input type="checkbox"/>	Neckrest depth adjustable	£81
JBF1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	○
SEAT LIFTER / SEAT TILT*			
JBF1091	<input type="checkbox"/>	Manually settable Seat Tilt 0 - 15°	○
JBF1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	◆

SEAT T GROUND HEIGHT*			
JBF2857		Seat-to-Floor Height 435 mm	○
JBF2858		Seat-to-Floor Height 460 mm	○
JBF2859		Seat-to-Floor Height 485 mm	○
BACKREST RECLINER*			
JBF0975		Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆
FOOTREST HANGER TYPE*			
JBF0526		Standard hanger 80° pair Lower leg length: 350 - 450 mm (NC 0522)	◆
JBF0503		Hanger Vari F pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with tools	£121
JBF0533		Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad	£234
JBF0531		Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad (NC 0522)	£669
FOOTPLATE TYPE*			
JBF0512		Fixed Footplate pair (NC 0533, 0531)	◆
JBF0504		Angle Adjustable Footplate pair (NC 0526)	£32
JBF0513		Angle and depth adjustable Footplate pair	£118
JBF0522		Angle adjustable Footboard (NC 0531, 1244)	£154
CONTROLS*			
JBF2203		Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators (NC 1437, 1908, 1909)	◆
JBF2204		Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	£151
CONTROL BRACKETRY*			
JBF1207		Standard Bracket RH (NC 1404)	○
JBF1208		Standard Bracket LH (NC 1405)	○
JBF1707		Swing Away Bracket RH (NC 1404)	£133
JBF1708		Swing Away Bracket LH (NC 1405)	£133
JBF2227		Bracket RH, mounted for Attendant (NC 2220, 2219, 1312)	£64
JBF2228		Bracket LH, mounted for Attendant (NC 2220, 2219, 1363)	£64
JBX2239		Individual mounting option per request (Special) Requires additional information/specification	POA
DUAL CONTROL			
JBF2220		Dual Control LiNX (DLX-REM050 as secondary remote) (NC 2273, 2227, 2228)	£395
JBF2219		Compact Dual Control LiNX (DLX-ACU200) (NC 2227, 2228)	£395
DUAL CONTROL BRACKETRY			
JBF2259		Bracket RH, Attendant (NC 2291, 1312)	○
JBF2260		Bracket LH, Attendant (NC 2292, 1363)	○
LINX 10-WAY SWITCH			
JBF2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access	£505
LINX 10-WAY SWITCH BRACKET			
JBF2217		Bracket RH, mounted for user (NC 1404)	○
JBF2218		Bracket LH, mounted for user (NC 1405)	○
JBF2291		Bracket RH, mounted for attendant (NC 2259)	£64
JBF2292		Bracket LH, mounted for attendant (NC 2260)	£64
LINX IN200 MODULE			
JBF2273		IN200 Module (Jack port for external power button + control inputs via DB9)	£241

FURTHER LINX COMPONENTS / ACCESSORIES			
JBF2300		To be enclosed only	○
JBX2301		To be connected and programmed (Special)	POA
BUDDY BUTTONS			
JBF1685		Red Buddy Button	£88
JBF1686		Yellow Buddy Button	£88
JBF1687		Green Buddy Button	£88
JBF1690		Blue Buddy Button	£88
EGG SWITCH			
JBF2254		Egg Switch, black	£88
PIKO BUTTONS			
JBF1711		Red Piko Button	£158
JBF1712		Yellow Piko Button	£158
JBF1713		Green Piko Button	£158
JBF1714		Orange Piko Button	£158
JBF1715		Blue Piko Button	£158
JBF1716		Black Piko Button	£158
BODYPOINT JOYSTICK KNOBS			
JBF2721		3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	£63
JBF2722		4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	£63
JBF2723		Domed Rubber, Joystick Handle, Bodypoint PC107A	£63
JBF2724		Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£63
SHROUD COLOUR*			
JBF2871		Mid range - Black/Anthracite Shroud	○
JBF2872		Mid range - Silver Shroud	○
JBF2873		Mid range - Bengal Red Shroud	○
JBF2874		Mid range - Mercury Blue Shroud	○
JBF2875		Mid range - Midnight Purple Shroud	○
JBX0299		Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days	(NC 2883, 2884, 2885, 2886, 2888, 2889, 2890, 2891) £214
JBF2865		Premium - Racing Green Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2889, 2890, 2891) £104
JBF2866		Premium - Deep Ocean Blue Satin Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2890, 2891) £104
JBF2867		Premium - Frosty Blue Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2891) £104
JBF2868		Premium - Gold Shroud	(NC 2883, 2884, 2885, 2886, 2887, 2888, 2889, 2890) £104

RIM COLOUR*			
JBF2882		Mid range - Black Rim Inserts	○
JBF2883		Mid range - Silver Rim Inserts	○
JBF2884		Mid range - Bengal Red Rim Inserts	○
JBF2885		Mid range - Mercury Blue Rim Inserts	○
JBF2886		Mid range - Midnight Purple Rim Inserts	○
JBX2887		Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days	(NC 2872, 2873, 2874, 2875, 2865, 2866, 2867, 2868) ○
JBF2888		Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2866, 2867, 2868) ○
JBF2889		Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2867, 2868) ○
JBF2890		Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2868) ○
JBF2891		Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit	(NC 2872, 2873, 2874, 2875, 0299, 2865, 2866, 2867) ○
FORKS*			
JBF2631		Single sided fork	£352 ○
JBF2632		Double sided fork Without castor rim insert (enlarges wide base to 656 mm)	◆
FRONT WHEEL*			
JBF0835		9" (225 mm) x 2.80 (70 mm) Castor, pneumatic	◆
JBF0836		9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	○
JBF0838		9" (225 mm) x 2.80 (70 mm) Castor, puncture protected Gel-sealed	○
JBF0828		8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	(NC 1909) ○
CASTOR LOCKS			
JBF1490		Castor Lock	£197 ○
DRIVE WHEEL*			
JBF0704		DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBF0705		DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	○
JBF0706		DW 14" (355 mm) x 3" (75 mm), Puncture protected Gel-sealed	○
C.T.C SUSPENSION*			
JBF2870		CTC Suspension Control - Traction - Comfort	◆
SUSPENSION SETTING*			
JBF1910		Soft (suggested for up to 70 kg User Weight)	◆
JBF1912		Medium (suggested for up to 90 kg User Weight)	○
JBF1911		Firm (suggested for up to 110 kg User Weight)	○
JBF1915		Very firm (suggested for up to 136 kg User Weight)	○
MOTOR TYPE*			
JBF1294		Indoor setting, reduced speed approx. 3 km/h	○
JBF1282		6 km/h	◆
JBF1908		10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights	(NC 2203, 1254, 2837) £543 ○
JBF1909		12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights	(NC 0828, 2203, 1254, 2837) £653 ○

BATTERY TYPE*			
JBF1259		60 Ah Gel	◆
JBF1260		73,5 Ah Gel (NC 1450)	£92
G TRAC			
JBF1215		G-Trac Module	£324
CHARGER*			
JBF1343		Opti Charge Charger 8A (IP44)	◆
JBF1313		Opti Charge Charger 10A (IP44)	£151
ANTI-TIPPERS*			
JBF1205		Anti-tipper	◆
LIGHTS*			
JBF1437		LED Light system with Indicators 30 Lux headlights (NC 2203)	£479
JBF2837		LED Light system extra bright with indicators 60 Lux headlights (NC 2203)	£143
JBF1254		Without Light system (NC 1909)	○
KERB RIDER			
JBF1244		Kerb Rider With park position feature (NC 1294)	£212
TRANSPORTATION KIT*			
JBF1450		Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering	£586
JBF1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory	◆
JBF1401		6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module Adequate headrest is compulsory (NC 1091, 1092)	○
EASY ACCESS FRONT TIE DOWNS			
JBF2894		Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only	£49
LAP BELT*			
JBF1329		Lap belt with Auto Lock Standard mount on backrest	◆
REAR VIEW MIRROR			
JBF1415		Rear view mirror RH (NC 2217)	£44
JBF1339		Rear view mirror LH (NC 2218)	£44
OTHER OPTIONS			
JBF1312		Cane holder RH (NC 2227, 2259)	£42
JBF1363		Cane holder LH (NC 2228, 2260)	£42
JBF1416		Fender for Castors	£88
JBF1417		Fender for Drive wheels	£169
JBF1404		Tray, Swing Away RH (NC 1707, 2217)	£167
JBF1405		Tray, Swing Away LH (NC 1708, 2218)	£167

TOTAL PRICE	
--------------------	--

Non Conforming Options:

JBF2197	Long Ergonomic Armpad (397 mm)
JBF1091	Manually settable Seat Tilt 0 - 15°
JBF1092	Powered "fixed pivot" Tilt 20°
JBF0526	Standard hanger 80° pair Lower leg length: 350 - 450 mm
JBF0533	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad
JBF0531	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad
JBF0522	Angle adjustable Footboard
JBF2203	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators
JBF1707	Swing Away Bracket RH
JBF1708	Swing Away Bracket LH
JBF2227	Bracket RH, mounted for Attendant
JBF2228	Bracket LH, mounted for Attendant
JBF2220	Dual Control LiNX (DLX-REM050 as secondary remote)
JBF2219	Compact Dual Control LiNX (DLX-ACU200)
JBF2259	Bracket RH, Attendant
JBF2260	Bracket LH, Attendant
JBF2217	Bracket RH, mounted for user
JBF2218	Bracket LH, mounted for user
JBF2291	Bracket RH, mounted for attendant
JBF2292	Bracket LH, mounted for attendant
JBF2273	IN200 Module (Jack port for external power button + control inputs via DB9)
JBF2872	Mid range - Silver Shroud
JBF2873	Mid range - Bengal Red Shroud
JBF2874	Mid range - Mercury Blue Shroud
JBF2875	Mid range - Midnight Purple Shroud
JBX0299	Premium - Individual Shroud Colour RAL number required Extended lead lime: + 15 days
JBF2865	Premium - Racing Green Shroud
JBF2866	Premium - Deep Ocean Blue Satin Shroud
JBF2867	Premium - Frosty Blue Shroud
JBF2868	Premium - Gold Shroud
JBF2883	Mid range - Silver Rim Inserts
JBF2884	Mid range - Bengal Red Rim Inserts
JBF2885	Mid range - Mercury Blue Rim Inserts
JBF2886	Mid range - Midnight Purple Rim Inserts
JBX2887	Premium - Individual Rim Insert Colour RAL number required Extended lead lime: + 15 days
JBF2888	Premium - Racing Green Rim Inserts Price Included with Premium Shroud Kit
JBF2889	Premium - Deep Ocean Blue Satin Rim Inserts Price Included with Premium Shroud Kit
JBF2890	Premium - Frosty Blue Rim Inserts Price Included with Premium Shroud Kit
JBF2891	Premium - Gold Rim Inserts RAL1035 Price Included with Premium Shroud Kit
JBF0828	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
JBF1294	Indoor setting, reduced speed approx. 3 km/h

JBF1908	10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBF1909	12 km/h Ultra High Speed Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBF1437	LED Light system with Indicators 30 Lux headlights
JBF2837	LED Light system extra bright with indicators 60 Lux headlights
JBF1254	Without Light system
JBF1244	Kerb Rider With park position feature
JBF1450	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering
JBF1401	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module Adequate headrest is compulsory
JBF1312	Cane holder RH
JBF1363	Cane holder LH
JBF1404	Tray, Swing Away RH
JBF1405	Tray, Swing Away LH



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):