



Yes, you can:

Manual Retail Prescription Form

Tel: 01656 776222
 Email: ordersuk@invacare.com
 Online Spares available at: www.invacare.co.uk

JANUARY 2025
 Customer Ref:

| | |
|--------------------------|--------------------|
| Customer Ref* | Account No* |
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Action 3 Junior Large

Standard Features

- Max user weight 80kg (12.5 stone)
- Crash tested ISO 7176-19
- Self Propulsion or Attendant Propulsion
- Choice of 4 seat widths 12" - 15" (305mm - 380mm)
- Choice of 2 seat depths (depth adjustable upholstery)
- Choice fo 3 seat heights 16" - 18" (410mm - 460mm)
- Black nylon upholstery
- Folding backrest set at 16" (400mm)
- Width and height adjustable backrest upholstery
- 80° Detachable swing away legrest hangers
- Flip up, angle and depth adjustable footplates
- Removable and height adjustable desk armrests
- Adjustable heel straps
- Choice of 7 colours (with 8 special colour options)
- Push or pull to lock brakes (configuration dependant)
- Transportation kit and lap belt (adjustable both sides)
- User tool kit

Standard Base price: £647



Please make your selection with a cross in the box ○ Free of charge ◆ standard feature POA special request

Customer weight = KG

| Code | Description | |
|----------------------|---|------|
| BASE PRODUCT* | | |
| CNC0001 | ACTION ³ JUNIOR | ○ |
| CNCSPEC | SPECIAL | POA |
| PROPULSION* | | |
| CNC0100 | SELF PROPULSION (NC 1055, 1170) | £647 |
| CNC0110 | TRANSIT PROPULSION, WITH RH TIPPING AID (NC 0280, 1020, 1030, 1045, 1140, 1141, 1180, 1190, 1195, 1275, 1390, 1430, 1440) | £647 |

| SEAT WIDTH* | | | |
|-----------------------------|--|--|-------------------------------------|
| CNC0150 | | 12" SW | (NC 0520, 0570) ○ |
| CNC0151 | | 13" SW | ○ |
| CNC0152 | | 14" SW | ◆ |
| CNC0153 | | 15" SW | ○ |
| SEAT DEPTH* | | | |
| CNC0170 | | ADJ SD 11" - 13" | ○ |
| CNC0171 | | ADJ SD 13" - 15" | ◆ |
| SEAT HEIGHT* | | | |
| CNC0260 | | 18" SH | ○ |
| CNC0270 | | 17" SH | ○ |
| CNC0280 | | 16" SH | (NC 1430, 1440) ○ |
| SEAT UPHOLSTERY* | | | |
| CNC0335 | | NYLON WITH HOOK AND LOOP STRIPS SEAT UPHOLSTERY, WIDTH AND DEPTH ADJUSTABLE | ◆ |
| SEAT CUSHION* | | | |
| CNC33333 | | WITHOUT SEAT CUSHION | ○ |
| CNC0362 | | BASIC SEAT CUSHION (ESSENTIAL JUNIOR) | £50 |
| BACKREST* | | | |
| CNC0370 | | FIXED 0° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM | ○ |
| CNC0380 | | FIXED 7° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM | ○ |
| CNC0390 | | RECLINING (RATCHET) 0/30° 5 HEIGHTS 13" - 17" | (NC 1050, 1190, 1195) £111 |
| CNC0395 | | RECLINING (GAS) 0/30° 16" | (NC 1050, 1190, 1195) £184 |
| CNC0400 | | FOLDING BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400 OR 17" / 430MM | ◆ |
| CNC0401 | | FOLIDNG BACKREST 20" | ○ |
| CNC0402 | | FOLDING BACKREST 2 HEIGHTS 15" / 20" REAR SET PUSH HANDLES | (NC 0480, 0855, 0902, 1426) £140 |
| CNC0420 | | FOLDING BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES | (NC 0855) £76 |
| CNC0425 | | FIXED 7° BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES | (NC 0855) £76 |
| BACKREST UPHOLSTERY* | | | |
| CNC0465 | | WITHOUT BACK UPHOLSTERY | (NC 0855) ○ |
| CNC0475 | | WIDTH AND HEIGHT ADJUSTABLE NYLON SLING TYPE | ◆ |
| CNC0480 | | CONTOUR (TENSION) ADJUSTABLE NYLON TYPE | (NC 0855) £105 |
| LEGREST HANGER RH* | | | |
| CNC0505 | | 90° STRAIGHT RH REMOVABLE HANGER UL STD 125 TO 260 MM | (NC 0600) £29 |
| CNC0510 | | 80° SHORT RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY | (NC 0561, 0562, 0563) ◆ |
| CNC0511 | | 80° SHORT RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY | (NC 0560, 0562, 0563, 0611, 0881) ○ |
| CNC0512 | | 80° LONG RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM | (NC 0560, 0561, 0563) ○ |
| CNC0513 | | 80° LONG RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM | (NC 0560, 0561, 0562, 0611, 0881) ○ |
| CNC0520 | | ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM | (NC 0600, 0611, 0880, 0886) £89 |

| LEGREST HANGER LH* | | | |
|--------------------|--|---|-----|
| CNC0555 | | 90° STRAIGHT LH REMOVABLE HANGER UL STD 125 TO 260 MM (NC 0620) | £29 |
| CNC0560 | | 80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY | ◆ |
| CNC0561 | | 80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY (NC 0611, 0881) | ○ |
| CNC0562 | | 80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM | ○ |
| CNC0563 | | 80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM (NC 0611, 0881) | ○ |
| CNC0570 | | ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM (NC 0611, 0620, 0880, 0886) | £89 |
| FOOTREST RH* | | | |
| CNC0600 | | FLIP UP RH FOOTPLATE (NC 0875, 0886) | ○ |
| CNC0605 | | FLIP UP DEPTH AND ANGLE ADJ RH | ◆ |
| CNC0611 | | ONE PIECE FOOTBOARD (NC 0620, 0625, 0875) | ○ |
| FOOTREST LH* | | | |
| CNC0620 | | FLIP UP LH FOOTPLATE (NC 0875, 0886) | ○ |
| CNC0625 | | FLIP UP DEPTH AND ANGLE ADJ LH | ◆ |
| CNC66666 | | NO FOOTPLATE REQUIRED (PLEASE SELECT IN COMBINATION WITH OPTION 0611) | ○ |
| ARMREST RH* | | | |
| CNC0640 | | REMOVABLE RH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED (NC 0745, 0746, 0750, 0755) | ◆ |
| CNC0645 | | REMOVABLE RH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED (NC 0740, 0746, 0750, 0755) | ○ |
| CNC0646 | | REMOVABLE RH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED (NC 0740, 0745, 0750, 0755) | ○ |
| CNC0650 | | MUDGUARD RH HEIGHT ADJUSTABLE (155 TO 220 MM) (NC 0740, 0745, 0746, 0755, 0910, 1201, 1471, 1472) | £35 |
| CNC0655 | | SKIRTGUARD RH JUNIOR (NC 0740, 0745, 0746, 0750, 0910, 1471, 1472) | ○ |
| ARMREST LH* | | | |
| CNC0740 | | REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED | ◆ |
| CNC0745 | | REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED | ○ |
| CNC0746 | | REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED | ○ |
| CNC0750 | | MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM) (NC 0910, 1201, 1471, 1472) | £35 |
| CNC0755 | | SKIRTGUARD LH JUNIOR (NC 0910, 1471, 1472) | ○ |

| OTHER SEATING OPTIONS | | | | |
|-----------------------|--|---|---|------|
| CNC0855 | | BACKREST EXTENSION | (NC 0860, 0865) | £72 |
| CNC0860 | | HEADREST STANDARD MULTI - ADJUSTABLE | (NC 0865, 0902) | £134 |
| CNC0865 | | HEADREST ROUND MULTI - ADJUSTABLE | (NC 0902) | £151 |
| CNC0880 | | ADJUSTABLE CALF STRAP | | £11 |
| CNC0881 | | FRONT STABILISER KIT + 100 MM | (NC 0512, 0562) | ○ |
| CNC0875 | | BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED | | £114 |
| CNC0886 | | FOOTPLATE ADJUSTMENT OPTIMIZER KIT | | £21 |
| CNC0902 | | WIDTH ADJUSTABLE BACK BRACE | | £41 |
| CNC0910 | | WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1 | | ○ |
| COLOUR* | | | | |
| CNC0952 | | PEARL WHITE | | ○ |
| CNC0953 | | MATT BLACK | | ○ |
| CNC0954 | | MATT RED | | ○ |
| CNC0955 | | INTENSE YELLOW | | ○ |
| CNC0956 | | POLAR BLUE | | ○ |
| CNC0957 | | CANDY PINK | | ○ |
| CNC0959 | | BLUE | | ○ |
| CNC0991 | | SPECIAL COLOUR (ON DEMAND ONLY) | | £169 |
| SWO0001 | | SLATE GREY - 3 WEEK LEAD TIME | | £169 |
| SWO0002 | | ELECTRIC GREEN - 3 WEEK LEAD TIME | | £169 |
| SWO0003 | | HYPNOTIC PURPLE - 3 WEEK LEAD TIME | | £169 |
| SWO0004 | | ANTHRACITE BLACK - 3 WEEK LEAD TIME | | £169 |
| SWO0005 | | DARK RED - 3 WEEK LEAD TIME | | £169 |
| SWO0006 | | PEARL GREY - 3 WEEK LEAD TIME | | £169 |
| SWO0007 | | VIBRANT ORANGE - 3 WEEK LEAD TIME | | £169 |
| FRONT CASTORS* | | | | |
| CNC0999 | | 5" X 1" BLACK SOLID TYRE | | ◆ |
| CNC1001 | | 5" X 1" FLASHING LIGHTS SOLID TYRE | | £46 |
| CNC1007 | | 5" X 1.3/4" BLACK SOLID TYRE | | ○ |
| REAR WHEEL SIZE* | | | | |
| CNC1010 | | 12" | (NC 1040, 1045, 1130, 1140, 1141, 1180, 1253, 1254, 1255, 1256, 1380, 1390) | ○ |
| CNC1020 | | 20" | (NC 1040, 1055, 1050, 1170) | ○ |
| CNC1030 | | 22" | (NC 1045, 1055, 1170) | ○ |
| REAR WHEELS* | | | | |
| CNC1040 | | STANDARD SELF-PROPEL REAR WHEEL (BLACK HUB, COLORLESS RIM AND ZINC PLATTED SPOKES) | (NC 1280) | ○ |
| CNC1045 | | REINFORCED STANDARD SELF-PROPEL REAR WHEEL (COLORLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES) | (NC 1280) | ○ |
| CNC1050 | | DRUM BRAKE SELF-PROPEL 22" or TRANSIT 12" | (NC 1270, 1275) | ○ |
| CNC1055 | | TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM) | (NC 1280) | ○ |
| TYRES* | | | | |
| CNC1120 | | SOLID BLACK | | ○ |
| CNC1130 | | PNEUMATIC PROFILE BLACK | | ○ |

| HANDRIM - A SELECTION MUST BE MADE FOR SELF PROPULSION | | | |
|---|--------------------------|--|------|
| CNC1140 | <input type="checkbox"/> | ALUMINIUM PRE-ANODIZED HANDRIM | ○ |
| CNC1141 | <input type="checkbox"/> | HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC | £75 |
| REAR WHEEL AXLE* | | | |
| CNC1170 | <input type="checkbox"/> | FIXED AXLE | ○ |
| CNC1180 | <input type="checkbox"/> | Q/R AXLE | ○ |
| REAR WHEEL POSITION* | | | |
| CNC1190 | <input type="checkbox"/> | STANDARD REAR WHEELS POSITION | ○ |
| CNC1195 | <input type="checkbox"/> | MEDIUM REAR WHEEL POSITION | ○ |
| CNC1200 | <input type="checkbox"/> | PASSIVE REAR WHEEL POSITION | ○ |
| CNC1201 | <input type="checkbox"/> | DUAL AMPUTEE REAR WHEEL POSITION (NC 1275, 1280) | £68 |
| CHASSIS OPTION | | | |
| CNC1253 | <input type="checkbox"/> | SPOKE GUARDS CLEAR | £81 |
| CNC1254 | <input type="checkbox"/> | SPOKE GUARDS PIXEL | £100 |
| CNC1255 | <input type="checkbox"/> | SPOKE GUARDS SNOWFLAKES | £100 |
| CNC1256 | <input type="checkbox"/> | SPOKE GUARDS COLOR ME | £100 |
| BRAKES* | | | |
| CNC1270 | <input type="checkbox"/> | PUSH TO LOCK BRAKES | ◆ |
| CNC1275 | <input type="checkbox"/> | PULL TO LOCK BRAKES | ○ |
| CNC1280 | <input type="checkbox"/> | ATTENDANT HUB BRAKES (NC 1426) | £147 |
| TRANSPORTATION KIT* | | | |
| CNC1345 | <input type="checkbox"/> | TRANSPORTATION BRACKETS | ◆ |
| SAFETY OPTIONS* | | | |
| CNC1364 | <input type="checkbox"/> | BODYPOINT POSTURE BELT 2 POINTS, MEDIUM, 140 mm LENGTH – 40 mm WEBBING | ◆ |
| CNC1370 | <input type="checkbox"/> | REAR ANTI-TIPPERS WITH TIPPING AID (NC 1430, 1440) | £35 |
| CNC1380 | <input type="checkbox"/> | REFLECTORS KIT | £7 |
| CNC1390 | <input type="checkbox"/> | BRAKE EXTENSION PAIR | £14 |
| OTHER OPTIONS | | | |
| CNC1426 | <input type="checkbox"/> | STROLLER PUSH HANDLES | £89 |
| CNC1430 | <input type="checkbox"/> | RH TIPPING AID | £14 |
| CNC1440 | <input type="checkbox"/> | LH TIPPING AID | £14 |
| CNC1471 | <input type="checkbox"/> | RH SWING AWAY ACRYLIC TRAY | £196 |
| CNC1472 | <input type="checkbox"/> | LH SWING AWAY ACRYLIC TRAY | £196 |
| TOTAL PRICE | | | |

Non Conforming Options:

| | |
|---------|---|
| CNC0280 | 16" SH |
| CNC0480 | CONTOUR (TENSION) ADJUSTABLE NYLON TYPE |
| CNC0512 | 80° LONG RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM |
| CNC0520 | ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM |
| CNC0560 | 80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY |
| CNC0561 | 80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY |
| CNC0562 | 80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM |
| CNC0563 | 80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM |
| CNC0570 | ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM |
| CNC0600 | FLIP UP RH FOOTPLATE |
| CNC0611 | ONE PIECE FOOTBOARD |
| CNC0620 | FLIP UP LH FOOTPLATE |
| CNC0625 | FLIP UP DEPTH AND ANGLE ADJ LH |
| CNC0740 | REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED |
| CNC0745 | REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED |
| CNC0746 | REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED |
| CNC0750 | MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM) |
| CNC0755 | SKIRTGUARD LH JUNIOR |
| CNC0855 | BACKREST EXTENSION |
| CNC0860 | HEADREST STANDARD MULTI - ADJUSTABLE |
| CNC0865 | HEADREST ROUND MULTI - ADJUSTABLE |
| CNC0880 | ADJUSTABLE CALF STRAP |
| CNC0881 | FRONT STABILISER KIT + 100 MM |
| CNC0875 | BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED |
| CNC0886 | FOOTPLATE ADJUSTMENT OPTIMIZER KIT |
| CNC0902 | WIDTH ADJUSTABLE BACK BRACE |
| CNC0910 | WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1 |
| CNC1020 | 20" |
| CNC1030 | 22" |
| CNC1040 | STANDARD SELF-PROPEL REAR WHEEL (BLACK HUB, COLORLESS RIM AND ZINC PLATTED SPOKES) |
| CNC1045 | REINFORCED STANDARD SELF-PROPEL REAR WHEEL (COLORLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES) |
| CNC1050 | DRUM BRAKE SELF-PROPEL 22" or TRANSIT 12" |
| CNC1055 | TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM) |
| CNC1130 | PNEUMATIC PROFILE BLACK |
| CNC1140 | ALUMINIUM PRE-ANODIZED HANDRIM |
| CNC1141 | HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC |
| CNC1170 | FIXED AXLE |
| CNC1180 | Q/R AXLE |
| CNC1190 | STANDARD REAR WHEELS POSITION |
| CNC1195 | MEDIUM REAR WHEEL POSITION |
| CNC1201 | DUAL AMPUTEE REAR WHEEL POSITION |
| CNC1253 | SPOKE GUARDS CLEAR |

| | |
|---------|----------------------------|
| CNC1254 | SPOKE GUARDS PIXEL |
| CNC1255 | SPOKE GUARDS SNOWFLAKES |
| CNC1256 | SPOKE GUARDS COLOR ME |
| CNC1270 | PUSH TO LOCK BRAKES |
| CNC1275 | PULL TO LOCK BRAKES |
| CNC1280 | ATTENDANT HUB BRAKES |
| CNC1380 | REFLECTORS KIT |
| CNC1390 | BRAKE EXTENSION PAIR |
| CNC1426 | STROLLER PUSH HANDLES |
| CNC1430 | RH TIPPING AID |
| CNC1440 | LH TIPPING AID |
| CNC1471 | RH SWING AWAY ACRYLIC TRAY |
| CNC1472 | LH SWING AWAY ACRYLIC TRAY |



For a more complex customer requirement
please refer to our Invacare Unique special order form.
email specialsuk@invacare.com

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____

Description of special request (please include relevant option code or part number):

