



Yes, you can:

Tel: 01656 776222
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

Manual Retail Prescription Form

DECEMBER 2025
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Action 3 Junior Large

Standard Features

- Max user weight 80kg (12.5 stone)
- Crash tested ISO 7176-19
- Self Propulsion or Attendant Propulsion
- Choice of 4 seat widths 12" - 15" (305mm - 380mm)
- Choice of 2 seat depths (depth adjustable upholstery)
- Choice of 3 seat heights 16" - 18" (410mm - 460mm)
- Black nylon upholstery
- Folding backrest set at 16" (400mm)
- Width and height adjustable backrest upholstery
- 80° Detachable swing away legrest hangers
- Flip up, angle and depth adjustable footplates
- Removable and height adjustable desk armrests
- Adjustable heel straps
- Choice of 7 colours (with 8 special colour options)
- Push or pull to lock brakes (configuration dependant)
- Transportation kit and lap belt (adjustable both sides)
- User tool kit

Standard Base price: £647



Please make your selection with a cross in the box ☐ Free of charge ☒ standard feature POA special request

Customer weight = KG

Code	Description	
BASE PRODUCT*		
CNC0001	ACTION ³ JUNIOR	☐
CNCSPEC	SPECIAL	POA
PROPULSION*		
CNC0100	SELF PROPULSION (NC 1055, 1170)	£647
CNC0110	TRANSIT PROPULSION, WITH RH TIPPING AID (NC 0280, 1020, 1030, 1045, 1140, 1141, 1180, 1190, 1195, 1275, 1390, 1430, 1440)	£647

SEAT WIDTH*				
CNC0150		12" SW	(NC 0520, 0570)	○
CNC0151		13" SW		○
CNC0152		14" SW		◆
CNC0153		15" SW		○
SEAT DEPTH*				
CNC0170		ADJ SD 11" - 13"		○
CNC0171		ADJ SD 13" - 15"		◆
SEAT HEIGHT*				
CNC0260		18" SH		○
CNC0270		17" SH		○
CNC0280		16" SH	(NC 1430, 1440)	○
SEAT UPHOLSTERY*				
CNC0335		NYLON WITH HOOK AND LOOP STRIPS SEAT UPHOLSTERY, WIDTH AND DEPTH ADJUSTABLE		◆
SEAT CUSHION*				
CNC33333		WITHOUT SEAT CUSHION		○
CNC0362		BASIC SEAT CUSHION (ESSENTIAL JUNIOR)		£50
BACKREST*				
CNC0370		FIXED 0° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM		○
CNC0380		FIXED 7° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM		○
CNC0390		RECLINING (RATCHET) 0/30° 5 HEIGHTS 13" - 17"	(NC 1050, 1190, 1195)	£111
CNC0395		RECLINING (GAS) 0/30° 16"	(NC 1050, 1190, 1195)	£184
CNC0400		FOLDING BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400 OR 17" / 430MM		◆
CNC0401		FOLIDNG BACKREST 20"		○
CNC0402		FOLDING BACKREST 2 HEIGHTS 15" / 20" REAR SET PUSH HANDLES	(NC 0480, 0855, 0902, 1426)	£140
CNC0420		FOLDING BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES	(NC 0855)	£76
CNC0425		FIXED 7° BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES	(NC 0855)	£76
BACKREST UPHOLSTERY*				
CNC0465		WITHOUT BACK UPHOLSTERY	(NC 0855)	○
CNC0475		WIDTH AND HEIGHT ADJUSTABLE NYLON SLING TYPE		◆
CNC0480		CONTOUR (TENSION) ADJUSTABLE NYLON TYPE	(NC 0855)	£105
LEGREST HANGER RH*				
CNC0505		90° STRAIGHT RH REMOVABLE HANGER UL STD 125 TO 260 MM	(NC 0600)	£29
CNC0510		80° SHORT RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0561, 0562, 0563)	◆
CNC0511		80° SHORT RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0560, 0562, 0563, 0611, 0881)	○
CNC0512		80° LONG RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM	(NC 0560, 0561, 0563)	○
CNC0513		80° LONG RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	(NC 0560, 0561, 0562, 0611, 0881)	○
CNC0520		ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM	(NC 0600, 0611, 0880, 0886)	£89

LEGREST HANGER LH*				
CNC0555		90° STRAIGHT LH REMOVABLE HANGER UL STD 125 TO 260 MM	(NC 0620)	£29
CNC0560		80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY		◆
CNC0561		80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0611, 0881)	○
CNC0562		80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM		○
CNC0563		80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	(NC 0611, 0881)	○
CNC0570		ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM	(NC 0611, 0620, 0880, 0886)	£89
FOOTREST RH*				
CNC0600		FLIP UP RH FOOTPLATE	(NC 0875, 0886)	○
CNC0605		FLIP UP DEPTH AND ANGLE ADJ RH		◆
CNC0611		ONE PIECE FOOTBOARD INCLUDING CALF STRAP	(NC 0620, 0625, 0880, 0875)	○
FOOTREST LH*				
CNC0620		FLIP UP LH FOOTPLATE	(NC 0875, 0886)	○
CNC0625		FLIP UP DEPTH AND ANGLE ADJ LH		◆
CNC66666		NO FOOTPLATE REQUIRED (PLEASE SELECT IN COMBINATION WITH OPTION 0611)		○
ARMREST RH*				
CNC0640		REMOVABLE RH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0745, 0746, 0750, 0755)	◆
CNC0645		REMOVABLE RH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0740, 0746, 0750, 0755)	○
CNC0646		REMOVABLE RH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0740, 0745, 0750, 0755)	○
CNC0650		MUDGUARD RH HEIGHT ADJUSTABLE (155 TO 220 MM)	(NC 0740, 0745, 0746, 0755, 0910, 1201, 1471, 1472)	£35
CNC0655		SKIRTGUARD RH JUNIOR	(NC 0740, 0745, 0746, 0750, 0910, 1471, 1472)	○
ARMREST LH*				
CNC0740		REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED		◆
CNC0745		REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED		○
CNC0746		REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED		○
CNC0750		MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM)	(NC 0910, 1201, 1471, 1472)	£35
CNC0755		SKIRTGUARD LH JUNIOR	(NC 0910, 1471, 1472)	○

OTHER SEATING OPTIONS			
CNC0855		BACKREST EXTENSION (NC 0860, 0865)	£72
CNC0860		HEADREST STANDARD MULTI - ADJUSTABLE (NC 0865, 0902)	£134
CNC0865		HEADREST ROUND MULTI - ADJUSTABLE (NC 0902)	£151
CNC0880		ADJUSTABLE CALF STRAP	£11
CNC0881		FRONT STABILISER KIT + 100 MM (NC 0512, 0562)	○
CNC0875		BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED	£114
CNC0886		FOOTPLATE ADJUSTMENT OPTIMIZER KIT	£21
CNC0902		WIDTH ADJUSTABLE BACK BRACE	£41
CNC0910		WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1	○
COLOUR*			
CNC0952		PEARL WHITE	○
CNC0953		MATT BLACK	○
CNC0954		MATT RED	○
CNC0955		INTENSE YELLOW	○
CNC0956		POLAR BLUE	○
CNC0957		CANDY PINK	○
CNC0959		BLUE	○
CNC0991		SPECIAL COLOUR (ON DEMAND ONLY)	£169
SWO0001		SLATE GREY - 3 WEEK LEAD TIME	£169
SWO0002		ELECTRIC GREEN - 3 WEEK LEAD TIME	£169
SWO0003		HYPNOTIC PURPLE - 3 WEEK LEAD TIME	£169
SWO0004		ANTHRACITE BLACK - 3 WEEK LEAD TIME	£169
SWO0005		DARK RED - 3 WEEK LEAD TIME	£169
SWO0006		PEARL GREY - 3 WEEK LEAD TIME	£169
SWO0007		VIBRANT ORANGE - 3 WEEK LEAD TIME	£169
FRONT CASTORS*			
CNC0999		5" X 1" BLACK SOLID TYRE	◆
CNC1001		5" X 1" FLASHING LIGHTS SOLID TYRE	£46
CNC1007		5" X 1.3/4" BLACK SOLID TYRE	○
REAR WHEEL SIZE*			
CNC1010		12" (NC 1040, 1045, 1130, 1140, 1141, 1180, 1253, 1254, 1255, 1256, 1380, 1390)	○
CNC1020		20" (NC 1040, 1055, 1050, 1170)	○
CNC1030		22" (NC 1045, 1055, 1170)	○

REAR WHEELS*			
CNC1040		STANDARD SELF-PROPEL REAR WHEEL 4 POINT FIXING HANDRIM (BLACK HUB, COLOURLESS RIM AND ZINC PLATED SPOKES) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)	(NC 1280) ○
CNC1045		REINFORCED STANDARD SELF-PROPEL REAR WHEEL 6 POINT FIXING HANDRIM (COLOURLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)	(NC 1280) ○
CNC1050		DRUM BRAKE 4 POINT FIXING HANDRIM (22" U HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES / 12" BLACK PLASTIC HUB AND RIM) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)	(NC 1270, 1275) ○
CNC1055		TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM)	(NC 1280) ○
TYRES*			
CNC1120		SOLID BLACK	○
CNC1130		PNEUMATIC PROFILE BLACK	○
HANDRIM - A SELECTION MUST BE MADE FOR SELF PROPULSION			
CNC1140		ALUMINIUM PRE-ANODIZED HANDRIM	○
CNC1141		HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	£75
REAR WHEEL AXLE*			
CNC1170		FIXED AXLE	○
CNC1180		Q/R AXLE	○
REAR WHEEL POSITION*			
CNC1190		STANDARD REAR WHEELS POSITION	○
CNC1195		MEDIUM REAR WHEEL POSITION	○
CNC1200		PASSIVE REAR WHEEL POSITION	○
CNC1201		DUAL AMPUTEE REAR WHEEL POSITION	(NC 1275, 1280) £68
CAMBER ANGLE*			
CNC1205		0° CAMBER - For Transit and Drum brakes	○
CNC1210		2° CAMBER	○
CNC1211		3° CAMBER STANDARD	◆
CNC1212		4° CAMBER	○
CHASSIS OPTION			
CNC1253		SPOKE GUARDS CLEAR	£81
CNC1254		SPOKE GUARDS PIXEL	£100
CNC1255		SPOKE GUARDS SNOWFLAKES	£100
CNC1256		SPOKE GUARDS COLOR ME	£100
BRAKES*			
CNC1270		PUSH TO LOCK BRAKES	◆
CNC1275		PULL TO LOCK BRAKES	○
CNC1280		ATTENDANT HUB BRAKES	(NC 1426) £147
TRANSPORTATION KIT*			
CNC1345		TRANSPORTATION BRACKETS	◆

SAFETY OPTIONS*			
CNC1364		BODYPOINT POSTURE BELT 2 POINTS, MEDIUM, 140 mm LENGTH – 40 mm WEBBING	◆
CNC1370		REAR ANTI-TIPPERS WITH TIPPING AID (NC 1430, 1440)	£35
CNC1380		REFLECTORS KIT	£7
CNC1390		BRAKE EXTENSION PAIR	£14
OTHER OPTIONS			
CNC1426		STROLLER PUSH HANDLES	£89
CNC1430		RH TIPPING AID	£14
CNC1440		LH TIPPING AID	£14
CNC1471		RH SWING AWAY ACRYLIC TRAY	£196
CNC1472		LH SWING AWAY ACRYLIC TRAY	£196
TOTAL PRICE			

Non Conforming Options:	
CNC0280	16" SH
CNC0480	CONTOUR (TENSION) ADJUSTABLE NYLON TYPE
CNC0512	80° LONG RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM
CNC0520	ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM
CNC0560	80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY
CNC0561	80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY
CNC0562	80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM
CNC0563	80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM
CNC0570	ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM
CNC0600	FLIP UP RH FOOTPLATE
CNC0611	ONE PIECE FOOTBOARD INCLUDING CALF STRAP
CNC0620	FLIP UP LH FOOTPLATE
CNC0625	FLIP UP DEPTH AND ANGLE ADJ LH
CNC0740	REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0745	REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0746	REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0750	MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM)
CNC0755	SKIRTGUARD LH JUNIOR
CNC0855	BACKREST EXTENSION
CNC0860	HEADREST STANDARD MULTI - ADJUSTABLE
CNC0865	HEADREST ROUND MULTI - ADJUSTABLE
CNC0880	ADJUSTABLE CALF STRAP
CNC0881	FRONT STABILISER KIT + 100 MM
CNC0875	BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED
CNC0886	FOOTPLATE ADJUSTMENT OPTIMIZER KIT
CNC0902	WIDTH ADJUSTABLE BACK BRACE
CNC0910	WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1
CNC1020	20"
CNC1030	22"
CNC1040	STANDARD SELF-PROPEL REAR WHEEL 4 POINT FIXING HANDRIM (BLACK HUB, COLOURLESS RIM AND ZINC PLATED SPOKES) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)
CNC1045	REINFORCED STANDARD SELF-PROPEL REAR WHEEL 6 POINT FIXING HANDRIM (COLOURLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)
CNC1050	DRUM BRAKE 4 POINT FIXING HANDRIM (22" U HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES / 12" BLACK PLASTIC HUB AND RIM) DISTANCE WHEEL HANDRIM 11 OR 16MM (SET AT 11MM)
CNC1055	TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM)
CNC1130	PNEUMATIC PROFILE BLACK
CNC1140	ALUMINIUM PRE-ANODIZED HANDRIM
CNC1141	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC
CNC1170	FIXED AXLE
CNC1180	Q/R AXLE
CNC1190	STANDARD REAR WHEELS POSITION
CNC1195	MEDIUM REAR WHEEL POSITION
CNC1201	DUAL AMPUTEE REAR WHEEL POSITION

CNC1253	SPOKE GUARDS CLEAR
CNC1254	SPOKE GUARDS PIXEL
CNC1255	SPOKE GUARDS SNOWFLAKES
CNC1256	SPOKE GUARDS COLOR ME
CNC1270	PUSH TO LOCK BRAKES
CNC1275	PULL TO LOCK BRAKES
CNC1280	ATTENDANT HUB BRAKES
CNC1380	REFLECTORS KIT
CNC1390	BRAKE EXTENSION PAIR
CNC1426	STROLLER PUSH HANDLES
CNC1430	RH TIPPING AID
CNC1440	LH TIPPING AID
CNC1471	RH SWING AWAY ACRYLIC TRAY
CNC1472	LH SWING AWAY ACRYLIC TRAY



For a more complex customer requirement,
please email: orders@invacare.com.au

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):