



Invacare Ltd
Unit 4 Pencoed Technology Park
Bridgend CF35 5AQ
T: 01656 776222
E: ordersuk@invacare.com
www.invacare.co.uk



Yes, you can.®

Please fill in all specifications with each order.

Account code

Customer order number

Company name

Address

e-fix E35 £4800

- Included as standard: 22" 24"
- 2 e-fix drive wheels
 - LED display unit
 - Mobility Plus package
 - Range 16km (10 miles)
 - Max. user weight 120kg
 - 6.0 Ah battery (2kg) 7.5 Ah battery (2kg) £235
 - Wheel weight 7.8kg
 - Total weight 18.9kg

e-fix E36 £5565

- Included as standard: 24"
- 2 e-fix drive wheels
 - LED display unit
 - Mobility Plus package
 - Range 20km (12.4 miles)
 - Max. user weight 160kg
 - 7.5 Ah battery (2kg) 6Ah battery (2kg) -£235
 - Wheel weight 8kg
 - Total weight 19.3kg



Brackets required for installation onto wheelchair

1457841	£94
Omit brackets	
Fitting on wheelchair at Invacare factory & delivery*	£70
Wheelchair order number	
Collection & fitting to third party wheelchair & delivery**	£70 + £90
Fitting by trained dealer***	£0

Control Unit Mounting

Right side	
Left side	£63
Right & Left (pluggable)	
Bracket on: Frame mount	Armrest mount

*Only when ordered with an Invacare wheelchair.

**Pending compatibility

***Mounting kits can only be sent to selected trained dealers.

Wheelchair details

Wheelchair manufacturer (e.g. Kuschall)

Serial no Year

Model (e.g. Compact)

Seat width cm



Seat height (e.g. Hemi) cm



Armrest & Brake type

Degree of wheel camber °

(Drum brakes must be removed)

Do you want to use both your standard and e-fix wheels in the future? If so, please order the retrofit stub axle.

Manual wheel axle retrofit for e-fix * / **

Retrofit, stub axle to 1/2" diameter £96

*If the manual wheels are used in combination with e-fix, these must be fitted with 1/2" stub axles, without drum brakes and 1" wide tyres.

**If drum brakes are installed, these must be removed as they are not compatible with e-fix. Standard lever brakes are used instead.



Yes, you can.®

Accessories

Anti-tippers with jack-up function (pair)*	1489214	£263
--	---------	------

Control Unit Accessories

Swivel arm	1467901	£334
Protection Bumper	1565836	£48

Joystick Options

Option special 40mm/1.57"	1565669	£25
Option soft 70mm/2.76"	1566196	£25
Option T - handle	1565670	£82

***NB Always use anti-tippers (Alber or existing)**

Tray table incl. control unit bracket

Control unit centered SW 38-43cm	1566207	£235
Control unit centered SW 43-48cm	1566208	£235
Installation kit for control unit with existing tray table	1566206	£138

Extension for speed pre-selection

Set for speed pre-selection	1566197	£38
-----------------------------	---------	-----

Extension for coupling ring

Set for one drive wheel (single)	1566179	£96
Set for two drive wheels (pair)	1566178	£192

Spoke Covers (pair)

22" wheel, decor 'Alber'	1566201	£60
22" wheel, transparent	1566203	£60
24" wheel, decor 'Alber'	1566670	£60
24" wheel, transparent	1566666	£60

Attendant Control Bracket

Right	1457754	£117
Left	1457755	£117

Intuitive Attendant Control

Control unit intuitive attendant control	1566165	£428
Adapter cable intuitive attendant control	1566177	£88
Additional handle	1566166	£42
Opti-box	1566184	£329
Speed/Stop limit switch	1467698	£70

Battery pack

Spare battery 6.0 Ah	1565639	£517
Spare battery 7.5 Ah	1566153	£679
Transport bag for battery	1566168	£68
Attachment set for transport bag	1566169	£20

Battery holder fixation

Fixed assembly set for cross brace	1566164	£163
Fixed assembly set for cross tube	1566163	£140

Mobility Plus Package*

Allows the individual to connect to their smartphone via Bluetooth and access functions which include battery status, speed, range, drive mode. It also allows speed up to 8km/h, access to the easyNavi navigation system, remote control function and on Android devices, the ability to monitor incoming phone calls and SMS via the e-fix display screen.


**iPhone and Android compatible*

Other

External charger socket incl. clip	1566177	£91
Brake extension	1467780	£29

Rear wheel extension available

Available wheel position:



- 1=rear
- 2=centre
- 3=front

***NB Always use anti-tippers (Alber or existing)**

Comments (mounting etc.)