

Invacare® Robin™

Invacare® Robin Mover™

Invacare® EC-Track™

Components list for order guide – EU



Yes, you can.

Contents

1. Motor and Trolley..... 3

2. Charger 4

3. EC-Track™ profile..... 4

4. Curves..... 5

5. Track Switch..... 5

6. Transit Coupling 6

7. Traverse Trolley 6

8. Fixture/ceiling - standard 7

9. Fixture/ceiling - quick 8

10. Wall fixture - set 8

11. Wall fixture – side/end hung..... 9

12. Floor and wall support set 10

13. Pendles..... 11





14. End cover, pair 12

15. End stop..... 12


16. Accessories 13

17. EC-Gantry 16




18. EC-Gantry Traverse 17

I. Motor and Trolley		
Model	Description	Part Number
	Robin™ ceiling hoist, with user manual and quick guide	1588287
	Robin Mover™ , ceiling hoist with traverse motor, with user manual and quick guide	1588286
	EC-Track™ trolley, white	1444008-9010
	EC-Track™ trolley, room to room, white	1485183-9010



2. Charger

Model	Description	Part Number
	Charger IP41 with holder and wall support (1.2/2 m)	I492102-7035
	Charger IP67 with holder and wall support (1.2/2 m)	I451913-7035
	Charger IP67 with holder and wall support (1.2/3 m)	I451914-7035
	Charger IP67 with holder and wall support (1.2/3 m), UK	I493471-7035


3. EC-Track™ profile








Model	Description	Part Number
	EC-Track™ S-profile white, 2.0 m	I450426-9010
	EC-Track™ S-profile white, 2.5 m	I450427-9010
	EC-Track™ S-profile white, 3.0 m	I450428-9010
	EC-Track™ S-profile white, 3.5 m	I450429-9010
	EC-Track™ S-profile white, 4.0 m	I450430-9010
	EC-Track™ S-profile white, 4.5 m	I450431-9010
	EC-Track™ S-profile white, 5.0 m	I450432-9010
	EC-Track™ M-profile white, 2.5 m	I446405-9010
	EC-Track™ M-profile white, 3.0 m	I446406-9010
	EC-Track™ M-profile white, 3.5 m	I446407-9010
	EC-Track™ M-profile white, 4.0 m	I446408-9010
	EC-Track™ M-profile white, 4.8 m	I446409-9010
	EC-Track™ L-profile white, 4.5 m	I446412-9010
	EC-Track™ L-profile white, 5.0 m	I446413-9010
	EC-Track™ L-profile white, 5.5 m	I446414-9010
	EC-Track™ L-profile white, 6.0 m	I446415-9010
	EC-Track™ L-profile white, 6.5 m	I446416-9010
	EC-Track™ L-profile white, 7.0 m	I446417-9010
	EC-Track™ L-profile white, 7.8 m	I446418-9010






4. Curves

Model	Description	Part Number
	EC-Track™ curve, 30° right, white	I450465-9010
	EC-Track™ curve, 30° left, white	I450466-9010
	EC-Track™ curve, 45° right, white	I450496-9010
	EC-Track™ curve, 45° left, white	I450497-9010
	EC-Track™ curve, 60° right, white	I450498-9010
	EC-Track™ curve, 60° left, white	I450499-9010
	EC-Track™ curve, 90° right, white	I450500-9010
	EC-Track™ curve, 90° left, white	I450501-9010
	ⓘ Left: Mounting channel (A) turned outward; Right: Mounting channel (A) turned inward	




5. Track Switch

Model	Description	Part Number
	EC-Track™ switch, white	I451885-9010





6. Transit Coupling		
Model	Description	Part Number
	Transit Coupling with profile, motor box, lock fixture, power supply and control button, white	1491160-9010
	Lock fixture for Transit Coupling, to traverse profile for S-profile, white	1478763-9010
	Lock fixture for Transit Coupling, to traverse profile for M/L-profile, white	1483864-9010
	Adjusting fixture, Transit Coupling, for lifting profile to S-profile, white	1483862-9010
	Adjusting fixture, Transit Coupling, for lifting profile to M/L-profile, white	1485118-9010
7. Traverse Trolley		
Model	Description	Part Number
	EC-Track™ traverse trolley, in-between fixation, white	1449667-9010
	EC-Track™ traverse trolley, partly between-hung, underhung, white	1446422-9010

8. Fixture/ceiling - standard		
Model	Description	Part Number
	EC-Track™ standard fixture, straight, 70 mm, white	1444046-9010
	EC-Track™ standard fixture, curve, 30 mm, white	1444045-9010
	EC-Track™ standard fixture connection, with 2 locking bolts, 120 mm, white	1450509-9010
	EC-Track™ standard fixture, with 1 locking bolt, 70 mm, white	1450508-9010
	Shim, 1 mm for 30 mm ceiling bracket, standard	1446333-9010
	Shim, 1 mm for 70 mm ceiling bracket, standard	1446395-9010
	Shim, 3 mm for 30 mm ceiling bracket, standard	1446334-9010
	Shim, 3 mm for 70 mm ceiling bracket, standard	1446396-9010
	Shim, 5 mm for 30 mm ceiling bracket, standard	1449117-9010
	Shim, 5 mm for 70 mm ceiling bracket, standard	1446397-9010
	Shim, 5 mm for 120 mm ceiling bracket, standard	1449120-9010



9. Fixture/ceiling - quick

Model	Description	Part Number
	EC-Track™ quick fixture, straight, 70 mm, white	1446295-9010
	EC-Track™ quick fixture, curve, 30 mm, white	1446296-9010
	EC-Track™ quick fixture, connection, 120 mm, white	1446297-9010







10. Wall fixture - set



Model	Description	Part Number
	EC-Track™ wall fixture, standard, for M-profile, white	1449669-9010
	EC-Track™ wall fixture, standard, for L-profile, white	1449670-9010
	EC-Track™ wall fixture, diagonal, for M-profile, white	1449671-9010
	EC-Track™ wall fixture, diagonal, for L-profile, white	1449672-9010





II. Wall fixture – side/end hung








Model	Description	Part Number
	<p>EC-Track™ side hung wall fixture, white</p>	<p>1451647-9010</p>
	<p>EC-Track™ side/end hung wall fixture , white</p>	<p>1525448-9010</p>








12. Floor and wall support set



Model	Description	Part Number
	EC-Track™ floor/wall support, 2.6 m, for M-profile, white	1450557-9010
	EC-Track™ floor/wall support, 3.0 m, for M-profile, white	1450559-9010
	EC-Track™ floor/wall support, 2.6 m, for L-profile, white	1450558-9010
	EC-Track™ floor/wall support, 3.0 m, for L-profile, white	1450560-9010
	EC-Track™ floor/wall support, diagonal, 2.6 m, for M-profile, white	1449334-9010
	EC-Track™ floor/wall support, diagonal, 3.0 m, for M-profile, white	1449336-9010
	EC-Track™ floor/wall support, diagonal, 2.6 m, for L-profile, white	1449335-9010
	EC-Track™ floor/wall support, diagonal, 3.0 m, for L-profile, white	1449337-9010
	EC-Track™ console foot, standard	1441488-9010
	EC-Track™ console foot, skirting board	1441416-9010
	EC-Track™ portal, white	1449673-9010



13. Pendles		
Model	Description	Part Number
	EC-Track™ pendle, fixed length, according to order, white (Delivery time: 2 weeks)	1449401-9010
	EC-Track™ pendle, adjustable 20-30 cm, white	1449402-9010
	EC-Track™ pendle, adjustable 28-46 cm, white	1449403-9010
	EC-Track™ pendle, adjustable 44-74 cm, white	1449404-9010
	EC-Track™ pendle with alu tube and rod, white or aluminum	1450291-9010


14. End cover, pair		
Model	Description	Part Number
	EC-Track™ end cover S-profile, white	1441420-9010
	EC-Track™ end cover M-profile, white	1441421-9010
	EC-Track™ end cover L-profile, white	1441422-9010
15. End stop		
Model	Description	Part Number
	EC-Track™ end stop set, white	1449563-9010

16. Accessories		
Model	Description	Part Number
	Extendable straps, 1 pair, with hooks and extended emergency strap, grey	1451620-7012
	Flexiscope hanger bar, adjustable, grey	1446269-7012
	Charger for external battery, grey	1449668-7035
	Charger for external battery, UK, grey	1493630-7035
	Holder for charger, wall mounted, grey	1450290-7035
	Bracket for charger with screws, grey	1485474-7035
	Battery, 24V, 2Ah, 4/5SC	1493139
	Holder for handset, strap mounted, grey	1449228-7035

	Trolley Robin hoist, for Inalto rails	1449383-9010
	Trolley, Robin hoist, for Liko rails	1446450-9010
	Trolley, Robin hoist, for Guldmann "Medi" rails	1446451-9010
	Trolley, Robin hoist, for Guldmann "Mini, Maxi, Jumbo" rails	1451871-9010
	Trolley, Robin hoist, for Chiltern rails	1505320-9010
	Trolley, Robin hoist, for Jøhl rails (Human Care)	1514577-9010
	Robin Trolley for Lina rails	1511795-9010
	Robin Trolley for BHM Easytrack rails	1530370-9010
	Robin Trolley for ETAC/LIC rails	1530434-9010
	Robin Trolley for Ergolet Loftpro rails	1525009-9010
	Robin Trolley for Ergolet Travers rails	1530293-9010
	Scale, Ergolet	1493132
	2-point spreader bar, 350 mm	1492967-7012

	2-point spreader bar, 450 mm	1492968-7012
	4-point spreader bar, 450 mm	1451870-7012
	Transport handle	1493227-7012
	Stretcher including sling	1504765-7012

17. EC-Gantry		
Model	Description	Part Number
	Gantry, freely suspended, for single rail. Complete set of legs, with charger set, trolley and end stop, EU version, aluminium.	1451029-0005
	Gantry, freely suspended, for single rail. Complete set of legs, with charger set, trolley and end stop, UK version, aluminium.	1493573-0005
	Gantry, freely suspended, with wheel for single rail. Complete set of legs, with charger set, trolley and end stop, EU version, aluminium. (Max height 200 mm)	1492842-0005
	Gantry - freely suspended, with wheel for single rail. Complete set of legs, with charger set, trolley and end stop, UK version, aluminium. (Max height 200 mm)	1493582-0005
	ⓘ Note: Remember to order track	
	Track, Aluminum, 2,5 m	1511893-0005
	Track, Aluminum, 3,0 m	1511894-0005
	Track, Aluminum, 3,5 m	1511895-0005
	Track, Aluminum, 4,0 m	1511896-0005

18. EC-Gantry Traverse		
Model	Description	Part Number
	Gantry Traverse, set of legs complete, incl. charger, trollies and end stops, EU	I493631-0005
	Gantry Traverse, set of legs complete, incl. charger, trollies and end stops, UK	I496274-0005
	<p>ⓘ <i>Note! For EC-Gantry Traverse, use M-profiles.</i></p>	
	Traverse 2,5 - 3,0 m / Parallel 2,5 - 3,0 m	I496408-0005
	Traverse 3,0 - 3,5 m / Parallel 3,0 - 3,5 m	I496410-0005
	Traverse 3,5 - 4,0 m / Parallel 3,5 - 4,0 m	I496411-0005
	Traverse 2,0 - 2,5 m / Parallel 3,0 - 3,5 m	I496407-0005
	Traverse 2,0 - 2,5 m / Parallel 3,5 - 4,0 m	I497463-0005
	Traverse 2,5 - 3,0 m / Parallel 3,0 - 3,5 m	I496413-0005
	Traverse 3,0 - 3,5 m / Parallel 3,5 - 4,0 m	I496414-0005
	Traverse 3,0 - 3,5 m / Parallel 2,0 - 2,5 m	I496435-0005
	Traverse 3,0 - 3,5 m / Parallel 2,5- 3,0 m	I496464-0005
	Traverse 3,5 - 4,0 m / Parallel 2,0 - 2,5 m	I497464-0005
	Traverse 3,5 - 4,0 m / Parallel 3,0 - 3,5 m	I496465-0005
	* All track measurement is minimum and maximum	
	<p>ⓘ <i>To estimate the outer dimensions for an installed and height adjusted EC-Gantry Traverse, add 200 mm to the wanted track length in both directions. Note that the installation and the height adjustment require extra space.</i></p>	