

## Manual Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk DECEMBER 2025 Customer Ref:

	Order date*
Delivery Address*	Order Qty*
Contact No*	Order No*
Customer Ref*	Account No*

## Küschall Champion One Solution

## **Standard Features**

- Max User Weight 120kg (19 Stone)
- Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front, Rear Seat Heights and Centre of Gravity
- Aluminium Front Frame with 75° or 90° Front Frame Angles
- 24 Self Propel Q/R Wheels with Grey Aluminium Handrims
- and Pneumatic Tyres
- Choice of 7 Seat Widths 360mm to 480mm (14" 19")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19")
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" -21")
- Range of Rear Seat Heights 390mm to 480mm (15" -19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Matrx backrest
- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles, Flip up Carbon Clothesguards
- Unfolding Help Cord. Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit



Please make your selection with a cross in the box	x O Free of charge • standard feature POA special request	
--	---	--

Customer weight = KG

Code		Description		
BASE PROD	BASE PRODUCT*			
DHA0031		Küschall Champion 2.0	0	
UNIQUE SPE	UNIQUE SPECIALS (For special modifications only) Additional lead time of 4 weeks			
DHA0000		UNIQUE Special Request - For use when requesting any special options or builds	0	
UNIQUE CUSTOMISATION AND PERSONALISATION OPTIONS Additional 4 weeks lead time for Unique options				
UHA0001		UNIQUE Personalisation - For use when selecting UHA customisation options	0	

FRAME*			
DHA1150	Frame Angle 75° Aluminium	(NC 1350)	£2,683
DHA1160	Frame Angle 90° Aluminium	(NC 1350)	£2,683
DHA1170	Frame Angle 75° Aluminium - Tapered/Adducted Front Frame	(NC 1320, 1325, 7010)	£2,683
DHA1180	Frame Angle 90° Aluminium - Tapered/Adducted Front Frame	(NC 1320, 1325, 7010)	£2,683
CHAMPION SL I	HYBRID RIGID FRAME		
UHA1260	Complete frame with fully welded front seat height & centre of gravity rear wheel supports	(NC 6180)	£450
SEAT WIDTH*			
DHA1320	360 mm	(NC 2364, 2366, 2368, 2370, 2372, 2710, 2748, 7000)	0
DHA1325	380 mm	(NC 2366, 2368, 2370, 2372, 7000)	0
DHA1330	400 mm	(NC 2360, 2366, 2368, 2370, 2372)	0
DHA1335	420 mm	(NC 2360, 2362, 2368, 2370, 2372)	0
DHA1340	440 mm	(NC 2360, 2362, 2364, 2370, 2372)	0
DHA1345	460 mm	(NC 2360, 2362, 2364, 2370, 2372)	O
DHA1350	480 mm	(NC 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366)	O
SEAT DEPTH*			
DHA1405	340 mm	(NC 2710, 2720, 2748, 2750, 2860, 7810, 7820, 7830)	O
DHA1415	360 mm	(NC 2710, 2720, 2748, 2860, 7810, 7820, 7830)	O
DHA1425	380 mm	(NC 2720)	O
DHA1435	400 mm		0
DHA1445	420 mm		0
DHA1460	440 mm		O
DHA1470	460 mm		O
DHA1480	480 mm	(NC 2710, 2748)	O
BACK HEIGHT*			
DHA1615	300 mm	(NC 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400)	0
DHA1620	315 mm	(NC 2325, 2330, 2331, 2350, 2355, 2357, 2400)	0
DHA1625	330 mm	(NC 2325, 2330, 2331, 2350, 2355, 2357)	O
DHA1630	345 mm	(NC 2330, 2331, 2355, 2357)	O
DHA1635	360 mm		O
DHA1640	375 mm		O
DHA1645	390 mm		O
DHA1650	405 mm		O
DHA1655	420 mm		0
DHA1660	435 mm		0
DHA1665	450 mm		0
DHA1670	465 mm		0

FRONT SEAT H	EIGHT*		
DHA1740	450 mm	(NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1745	460 mm	(NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)	O
DHA1750	470 mm	(NC 1950, 1952, 1954, 1956, 1958, 1960)	O
DHA1755	480 mm	(NC 1952, 1954, 1956, 1958, 1960)	O
DHA1760	490 mm	(NC 1954, 1956, 1958, 1960)	O
DHA1765	500 mm	(NC 1956, 1958, 1960)	O
DHA1770	510 mm	(NC 1958, 1960)	O
DHA1775	520 mm	(NC 1960)	O
DHA1780	530 mm	(NC 5000)	O
DHA1785	540 mm	(NC 5000, 5050, 5100, 5150, 5200, 5250)	O
REAR SEAT HE lower*	IGHT. On 75° frame, Rear Seat Height ca	n be 0mm - 70mm lower then front seat height and 90° can be 30mm to 1	00mm
DHA1815	390 mm	(NC 6420, 6430)	O
DHA1820	400 mm	(NC 6420, 6430)	0
DHA1825	410 mm	(NC 6430)	O
DHA1830	420 mm	(NC 6430)	O
DHA1835	430 mm		O
DHA1840	440 mm		O
DHA1845	450 mm		0
DHA1850	460 mm		O
DHA1855	470 mm	(NC 6410)	0
DHA1860	480 mm	(NC 6410)	0
LOWER LEG LE	ENGTH Seat canvas to footplate measure	ment, cushion height must be deducted.*	
DHA1924	320 mm		O
DHA1926	330 mm		O
DHA1928	340 mm		O
DHA1930	350 mm		0
DHA1932	360 mm		0
DHA1934	370 mm		· ·
			0
DHA1936	380 mm		
DHA1938	390 mm		0
DHA1940	400 mm		O
DHA1942	410 mm		O
DHA1944	420 mm		O
DHA1946	430 mm		O
DHA1948	440 mm		O
DHA1950	450 mm		O
DHA1952	460 mm		O
DHA1954	470 mm		O
DHA1956	480 mm		<b>O</b>
DHA1958	490 mm		O
DHA1960	500 mm		O
BACKREST*			
DHA2140	Angle Adjustable, Forward Folding wi Backrest remains locked for transport		•
BACKREST UP	HOLSTERY*		
DHA2240	Without Backrest Upholstery Select if Matrx/Fixed backrest, no upholstery re	equired	0
		Küschall Champion One Solution Subject to Invacares s	candard terms and

DI 143300	Matry MV2 Height 150 mm with O/D Hardware Fraura	(NC 2370, 2372)	0754
DHA2300	Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2305	Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2310	Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2315	Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2316	Matrx Elite Deep E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2317	Matrx Elite Deep E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2318	Matrx Elite Deep E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2320	Matrx Elite Deep E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2332	Matrx Elite E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2334	Matrx Elite E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2335	Matrx Elite E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2340	Matrx Elite E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494

MATRX BACKE	REST WIDTH CHOICE*	
DHA2360	360mm Backrest width, to fit chest width 265mm	O
DHA2362	380mm Backrest width, to fit chest width 290mm	O
DHA2364	410mm Backrest width, to fit chest width 315mm	0
DHA2366	430mm Backrest width, to fit chest width 340mm	0
DHA2368	460mm Backrest width, to fit chest width 370mm	O
DHA2370	480mm Backrest width, to fit chest width 390mm	O
DHA2372	510mm Backrest width, to fit chest width 420mm	O
PUSH HANDLE	SS*	
DHA2400	Without Push Handles	•
DHA2410	Push Handles Fixed Short/Mini Grip	£133
DHA2420	Push Handles Fixed Long Grip	O
DHA2440	Push Handles Height Adjustable, Integrated in backrest	£219
DHA2450	Push Handles Foldable	£198
BACKREST AN	IGLE*	
DHA2510	76° angle from the seat	0
DHA2530	80.5° angle from the seat	O
DHA2550	85° angle from the seat	<b>•</b>
DHA2570	89.5° angle from the seat	O
DHA2590	94° angle from the seat	O
SEAT UPHOLS	TERY*	
DHA2600	Seat Upholstery with 1 central loop	O
DHA2601	Standard Seat Upholstery with 1 central loop and 2 side hook	<b>*</b>
DHA2610	Tension Adjustable Seat Upholstery with one 5cm central band (Loop)	£45
SEAT CUSHIO	N	
DHA2700	Standard Seat Cushion, 60mm high Double Foam with (NC 2810, 2820, 2830, 2840, 2850) Visco Top Layer - Comfort/Low Risk	£66
DHA2710	Flo-Tech Lite Cushion 78mm high- Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)	£121
DHA2720	Matrx Libra Cushion 70mm high, Black Smooth Cover - Very High Risk	£410
DHA2748	Contour Visco NG Cushion 120mm high - High Risk (NC 2810, 2820, 2830, 2840, 2850)	£169
DHA2750	Vicair Active O2 lightweight cushion 60mm high - High (NC 2810, 2820, 2830, 2840, 2850, 2860) risk	£521
SEAT BAG		
DHA2800	Seat Bag, Click in and removable, includes the fixation (NC 7010) clips	£74
MATRX LIBRA	CUSHION ACCESSORIES	
DHA2810	Fluid supplement sac (Pair)	£44
DHA2820	Tapered wedge (Pair)	£30
DHA2830	Abductor	£23
DHA2840	Lateral side wedge	£20
DHA2850	Anterior front wedge	£27
SEAT RIGIDIZE		
DHA2860	Seat rigidizer	£39

FOOTREST*			
DHA3240	Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage		•
DHA3250	Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage		O
CALF STRAP*			
DHA3320	Calf Strap Mounted on Supporter		•
DHA3330	Calf Strap Mounted on Frame		0
CLOTHESGUA	RDS/MUDGUARDS*		
DHA3405	Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels)	(NC 6430)	0
DHA3420	Carbon Clothesguards, Flip Up		<b>♦</b>
DHA3425	Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels)	(NC 3490, 6430)	£65
DHA3430	Carbon Mudguards, Fixed	(NC 3490)	£247
DHA3440	Carbon Mudguards, Removable	(NC 3490)	£307
DHA3450	Composite Mudguards, Removable (only possible with 24" & 25" rear wheels)	(NC 3490, 6430)	£65
ARMREST			
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included		£106
FRAME COLOL	JR*		
DHA4000	Space Black (RAL 9005)	(NC 4066)	0
DHA4010	Anthracite Grey (RAL 7016)	(NC 4066)	O
DHA4020	Pure White (RAL 9016)	(NC 4066, 4220)	0
DHA4030	Carmine Red (RAL 3002)	(NC 4066)	0
DHA4040	Azure Blue (RAL 5017)	(NC 4066)	0
DHA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)	(NC 4066)	£31
DHA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)	(NC 4066)	£31
DHA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)	(NC 4066)	£31
DHA4145	Pearl Night Blue (RAL 5026) (Additional 15 day lead time)	(NC 4066)	£31
DHA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)	(NC 4066)	£31
DHA4170	Dynamite Orange (Additional 15 day lead time)	(NC 4066)	£31
DHA4180	Forest Green (RAL 6029) (Additional 15 day lead time)	(NC 4066)	£31
UHA4101	Diamond Silver/Mirror Polish with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£399
UHA4102	Pastel Green with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£299
UHA4103	Sky Blue with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£299
UHA4104	Plum Purple with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£299
UHA4105	Salmon with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£299
UHA0008	Your personal frame colour. Add RAL colour of your choice in special comments box, for a personalised colour frame		£299
CERAMIC GLA	ZE FRAME FINISH		
UHA4066	Ceramic glaze finish on frame, for added durability		£336

FRAME DECAL			
DHA4190	Bold Decal (Full coloured transfer on frame)	(NC 4300, 4310, 1111)	£31
DHA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	•
DHA4197	Without Tag (Kuschall branding only)	(NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	<u> </u>
BOLD DECAL O			
DHA4200	Black		0
DHA4210	Dark Grey		O
DHA4220	Light Grey		0
DHA4230	Red		Q
DHA4240	Blue		Q
DHA4250	Gold		Q
DHA1111	No bold colour, select only with Option DHA4195 Tag or DHA4197 Without Tag	(NC 4190)	Q
TAG COLOUR*			
DHA4300	Black		0
DHA4310	Red		0
DHA2222	No tag colour, select only with Option DHA4190 Bold Decal or DHA4197 Without Tag	(NC 4195)	Q
FRONT CASTO	RS*		
DHA5000	75mm x 25mm (3" x 1") Supersport	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	Q
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	Q
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options		£93
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
DHA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DHA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	•
DHA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DHA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options		£93
DHA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
ANODISED CO	LOUR SOFTROLL CASTORS		
UHA5502	Pink		£50
UHA5504	Orange		£50
UHA5506	Blue		£50
UHA5507	Purple		£50
UHA5508	Red		£5(
UHA5509	Gold		£50
L	TOR BEARINGS		
UHA5510	Ceramic castor bearings for Aluminium soft roll castors		£58

REAR WHEEL POSITION (CENTRE OF GRAVITY)*           DHA6100         1st from front Most Active Position           DHA6110         2nd from front           DHA6120         3rd from front           DHA6130         4th from front           DHA6140         5th from front           DHA6150         6th from front           DHA6160         7th from front           DHA6170         8th from front	• • • • • • • • • • • • • • • • • • •
DHA6120         3rd from front           DHA6130         4th from front           DHA6140         5th from front           DHA6150         6th from front           DHA6160         7th from front	•
DHA6130         4th from front           DHA6140         5th from front           DHA6150         6th from front           DHA6160         7th from front	•
DHA6140         5th from front           DHA6150         6th from front           DHA6160         7th from front	•
DHA6150         6th from front           DHA6160         7th from front	0
DHA6160 7th from front	0
DHA6170 8th from front	O
DHA6180 9th from front	•
QUAD QUICK RELEASE AXLE	
DHA6300 Quad Quick Release/Tetra Clip (NC 6550, 6551, 6552, 6553, 6554, 0907)	£85
REAR WHEEL SIZE*	
DHA6410 24"	<b>•</b>
DHA6420 25" (NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6775, 6900)	O
DHA6430 26" (NC 6520, 6551, 6552, 6553, 6554, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6775)	0
REAR WHEEL TYPE*	
DHA6510 24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub. (NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	•
DHA6520 24", 25" High Performance Wheel Black hub and rim (NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579, 6660)	£182
DHA6550 24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black (NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6577, 6660)	£611
UHA6551  24", 25" Spinergy Lite Extreme LX, Weight 687 grams (NC 6660) per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	£785
UHA6552  24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)  (NC 6660)	£844
UHA6553  24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, (NC 6660) Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)	£893
UHA6554  24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams (NC 6557, 6558, 6559, 6560, 6561, 6562, 6660)  per wheel (Unique coloured hub and spokes available, supplied in black as standard)	£1,084
SWO0907 24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall (NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6660)	£486
ANODISED COLOUR SPINERGY RIM (DESIGN LAB)	
UHA6557 Blue	£179
UHA6558 Gold	£179
UHA6559 Green	£179
UHA6560 Orange	£179
UHA6561 Red	£179
UHA6562 Purple	£179

ANODISED CO	DLOUR SPINERGY HUB (DESIGN LAB)	
UHA6563	Blue	£179
UHA6564	Gold	£179
UHA6565	Silver	£179
UHA6566	Green	£179
UHA6567	Orange	£179
UHA6568	Red	£179
UHA6569	Purple	£179
SPINERGY CO	DLOURED SPOKES	
UHA6570	Blue	£84
UHA6571	Green	£84
UHA6572	Orange	£84
UHA6573	Pink	£84
UHA6574	Red	£84
UHA6575	Purple	£84
UHA6576	White	£84
UHA6577	Yellow	£84
CERAMIC BEA	ARING REAR WHEEL	
UHA6579	Ceramic Bearing for Spinergy rear wheels	£170
REAR WHEEL	. TYRE*	
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection	•
DHA6625	24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.	£100
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)	£97
DHA6660	24" x 1 3/8" Solid Profile Black Tyre (NC 7230)	£66

HANDRIM*			
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DHA6710	26" Steel, short tab with 1 hole, mounted at 3 cm distance		£62
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		£192
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, profile of 32mm diameter.		£215
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, smaller profile of 24mm diameter for smaller hands.		£215
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape, all metal black coated, low-friction surface for complete hand function for low-effort propulsion		£190
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics without tricep function. Features a unique angle shaped profile and anti-slip coating providing a larger contact surface designed to be propelled using the heel of the hand or thumb pad.		£225
DHA6775	24" Carbolife Curve L Tetra handrim, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics with tricep function, but limited hand strength. Ergomonic shape with a flat, non-slip coated pushing surface for the thumb and a curved side for the fingers to wrap around.		£155
DHA6780	24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		<b>•</b>
DHA6790	24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42
REAR WHEEL	CAMBER*		
DHA6820	0° Camber		<b>*</b>
DHA6830	1° Camber		O
DHA6840	3° Camber	(NC 7230)	O
SPOKEGUARD			
DHA6900	24", 26" Transparent Spokeguards (When ordered with Carbolife handrims, handrim distance is set at 4cm)		£126
FIXATION CLIP	*		
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)		0
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)		<b>*</b>
DHA3333	No fixation clip, select with Tapered frame options 1170, 1180		O
UNFOLDING HE	ELP*		
DHA7100	Unfolding Help (Cord to help open the folding mechanism from the front of the chair)		<b>*</b>

UNIQUE CUSTO	DMISATION COLOUR PACKAGE*		
UHA6960	UNIQUE KIT 1 - Includes custom colour forks and bearing cover. Select colour from the 10 choices below		£111
UHA6961	UNIQUE KIT 2 - Includes custom colour forks and bearing cover, castor fork supporter, rear wheel supporter, brake clamps. Select colour from the 10 choices below		£285
UHA1234	Without colour package		0
UNIQUE CUSTO	DMISATION COLOURS		
UHA6963	Red		0
UHA6964	Purple		O
UHA6965	Copper		O
UHA6966	Green		O
UHA6967	Orange		0
UHA6968	Gold		0
UHA6969	Champagne		0
UHA6970	Pink		0
UHA6971	Blue		O
UHA6972	Poly Mirror Finish		0
BRAKES*			
DHA7200	Pull Brakes		£78
DHA7210	Standard Push to Lock Brakes, Lever Bent		<b>♦</b>
DHA7220	Standard Push to Lock Brakes, Lever Straight		0
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre	NC 7300, 7810, 7820, 7830)	£78
DHA7240	Active/Scissor Brakes	NC 7300)	£78
DHA7250		NC 7300)	£136
BRAKE LEVER			040
DHA7300	Brake Lever Extension		£49
DHA7500	Anti-Tipper Right		£122
DHA7510	Anti-Tipper Left		£122
DHA7520	Anti-Tipper Both sides		£244
DHA7800	Standard Pelvic belt		£74
BODYPOINT BE			
DHA7810	Bodypoint Posture Belt Evoflex Small		£81
DHA7820	Bodypoint Posture Belt Evoflex Medium		£81

OTHER OPTION	NS	
DHA8010	Front Frame Protectors	£37
DHA8100	Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder)	£46
DHA8200	Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder)	£75
DHA8500	Air Pump	£13
DHA8550	Tool Kit	<b>•</b>
DHA8650	Kuschall branded Wheel bag (Fits all wheel sizes)	£45
DHA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
DHA8700	Travel bag for Champion, Wheels can remain on the wheelchair	£254
BODYPOINT AG	CCESSORIES	
DHA8800	Bodypoint Calf Strap	£57
DHA8850	Bodypoint Mobility Bag	£55

TOTAL PRICE

Non Conforming	Options:
DHA1320	360 mm
DHA1325	380 mm
DHA1350	480 mm
DHA1946	430 mm
DHA1948	440 mm
DHA1950	450 mm
DHA1952	460 mm
DHA1954	470 mm
DHA1956	480 mm
DHA1958	490 mm
DHA1960	500 mm
DHA2300	Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2305	Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2310	Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2315	Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.
DHA2360	360mm Backrest width, to fit chest width 265mm
DHA2362	380mm Backrest width, to fit chest width 290mm
DHA2364	410mm Backrest width, to fit chest width 315mm
DHA2366	430mm Backrest width, to fit chest width 340mm
DHA2368	460mm Backrest width, to fit chest width 370mm
DHA2370	480mm Backrest width, to fit chest width 390mm
DHA2372	510mm Backrest width, to fit chest width 420mm
DHA2400	Without Push Handles
DHA2710	Flo-Tech Lite Cushion 78mm high- Comfort/Low Risk
DHA2720	Matrx Libra Cushion 70mm high, Black Smooth Cover - Very High Risk
DHA2748	Contour Visco NG Cushion 120mm high - High Risk
DHA2750	Vicair Active O2 lightweight cushion 60mm high - High risk
DHA2810	Fluid supplement sac (Pair)
DHA2820	Tapered wedge (Pair)
DHA2830	Abductor
DHA2840	Lateral side wedge
DHA2850	Anterior front wedge

DHA2860	Seat rigidizer
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
UHA4066	Ceramic glaze finish on frame, for added durability
DHA4190	Bold Decal (Full coloured transfer on frame)
DHA4195	Tag (Small Küschall brand transfer on front of frame)
DHA4200	Black
DHA4210	Dark Grey
DHA4220	Light Grey
DHA4230	Red
DHA4240	Blue
DHA4250	Gold
DHA1111	No bold colour, select only with Option DHA4195 Tag or DHA4197 Without Tag
DHA4300	Black
DHA4310	Red
DHA2222	No tag colour, select only with Option DHA4190 Bold Decal or DHA4197 Without Tag
DHA5000	75mm x 25mm (3" x 1") Supersport
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour
DUACOCO	options
DHA5250 UHA5502	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)  Pink
UHA5504	Orange
UHA5506	Blue
UHA5507	Purple
UHA5508	Red
UHA5509	Gold
UHA5510	Ceramic castor bearings for Aluminium soft roll castors
DHA6180	9th from front
DHA6410	24"
DHA6420	25"
DHA6430	26"
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.
DHA6520	24", 25" High Performance Wheel Black hub and rim
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black
UHA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available, supplied in
	black as standard)
UHA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
UHA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available, supplied in black as standard)
UHA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available, supplied in black as standard)
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKüschall
UHA6557	Blue
UHA6558	Gold

	O
UHA6559	Green
UHA6560	Orange
UHA6561	Red
UHA6562	Purple
UHA6563	Blue
UHA6564	Gold
UHA6565	Silver
UHA6566	Green
UHA6567	Orange
UHA6568	Red
UHA6569	Purple
UHA6570	Blue
UHA6571	Green
UHA6572	Orange
UHA6573	Pink
UHA6574	Red
UHA6575	Purple
UHA6576	White
UHA6577	Yellow
UHA6579	Ceramic Bearing for Spinergy rear wheels
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DHA6660	24" x 1 3/8" Solid Profile Black Tyre
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DHA6710	26" Steel, short tab with 1 hole, mounted at 3 cm distance
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, profile of 32mm diameter.
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. For complete or limited hand function offering low-effort propulsion. Ergonomic shape with fully integrated, replaceable silicon strip for extra grip, smaller profile of 24mm diameter for smaller hands.
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape, all metal black coated, low-friction surface for complete hand function for low-effort propulsion
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics without tricep function. Features a unique angle shaped profile and anti-slip coating providing a larger contact surface designed to be propelled using the heel of the hand or thumb pad.
DHA6775	24" Carbolife Curve L Tetra handrim, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Suitable for Tetraplegics with tricep function, but limited hand strength. Ergomonic shape with a flat, non-slip coated pushing surface for the thumb and a curved side for the fingers to wrap around.
DHA6900	24", 26" Transparent Spokeguards (When ordered with Carbolife handrims, handrim distance is set at 4cm)
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DHA7300	Brake Lever Extension
DHA7810	Bodypoint Posture Belt Evoflex Small
DHA7820	Bodypoint Posture Belt Evoflex Medium
DHA7830	Bodypoint Posture Belt Evoflex Large



Special Instructions

For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Please supply the following information:					
Name:	Email:				
Phone:					
Description of special request (please include relevant option code or part number):					