

## Manual Retail Prescription Form

## Yes, you can:

Tel: 01656 776222 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JANUARY 2025 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## Küschall Champion SK One Solution

## **Standard Features**

- Max User Weight 120kg (19 Stone)
- Active, Lightweight Folding Fully Hydroformed Aluminium Wheelchair
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Aluminium Folding Front Frame with 75° or 90° Front Frame Angles
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 6 Seat Widths 360mm to 460mm (14" 18")
- Choice of 8 Seat Depths 340mm to 480mm (13" 19")
- Choice of 5 Standard Frame Colours
- Range of Front Seat Heights 450mm to 540mm (17" -21")
- Range of Rear Seat Heights 390mm to 480mm (15" -19")
- Folding Backrest, Angle Adjustable and Soft Lock Feature with Matrx backrest
- Angle and Height Adjustable Rigid Footrest, with Calf Strap
- Without Push Handles
- Flip up Carbon Clothesguards
- Unfolding Help Cord
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,134



Please make your selection with a cross in the box	0	Free of charge	<b>*</b>	standard feature POA special request	
--	---	----------------	----------	--------------------------------------	--

Customer weight = KG

Code		Description		
BASE PRODU	BASE PRODUCT*			
DHA0031		Küschall Champion SK 2.0	•	
UNIQUE SPE	CIALS	(For special modifications only) Additional lead time of 4 weeks		
DHA0000		UNIQUE Special Request - For use when requesting any special options or builds	POA	
UNIQUE CUS	TOMIS	ATION AND PERSONALISATION OPTIONS Additional 4 weeks lead time for Unique options		
UHA0001		UNIQUE Personalisation - For use when selecting UHA customisation options	O	

Champion St. Hybrid Rigio Frame with fully welded front seat height & centre of gravity rear wheel supports	
SK FOLDING FRONT	O
DHA1250   SK Folding Front Frame   C2	O
Champion St. Hybrid Rigid Frame with fully welded front seat height & centre of gravity rear wheel supports	
UHA1260   Complete frame with fully welcod front seat height 8   comble of gravity rear wheel supports	£3,134
Detail of gravity rear wheel supports	
DHA1320	£450
DHA1225	
DHA1330	O
DHA135	O
DHA1340	0
DHA1345	0
SEAT DEPTH*  DHA1405	0
DHA1405	0
DHA1415   360 mm	
DHA1425   380 mm	O
DHA1435	O
DHA1445	O
DHA1460	0
DHA1470	O
DHA1480	0
BACK HEIGHT*  DHA1615 300 mm (NC 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400)  DHA1620 315 mm (NC 2325, 2330, 2331, 2350, 2355, 2357, 2400)  DHA1625 330 mm (NC 2325, 2330, 2331, 2350, 2355, 2357)  DHA1630 345 mm (NC 2330, 2331, 2350, 2355, 2357)  DHA1635 360 mm  DHA1640 375 mm  DHA1645 390 mm  DHA1650 405 mm  DHA1660 435 mm  DHA1660 436 mm  FRONT SEAT HEIGHT*  DHA1740 450 mm (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1745 460 mm (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1950, 1952, 1954, 1956, 1956, 1960)	0
DHA1615 300 mm (NC 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400)  DHA1620 315 mm (NC 2325, 2330, 2331, 2350, 2355, 2357, 2400)  DHA1625 330 mm (NC 2325, 2330, 2331, 2350, 2355, 2357)  DHA1630 345 mm (NC 2330, 2331, 2355, 2357)  DHA1635 360 mm  DHA1640 375 mm  DHA1640 375 mm  DHA1650 405 mm  DHA1650 420 mm  DHA1665 450 mm  DHA16670 465 mm  FRONT SEAT HEIGHT*  DHA1740 450 mm (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1745 460 mm (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1954, 1956, 1958, 1960)	0
DHA1620       315 mm       (NC 2325, 2330, 2331, 2350, 2355, 2357, 2400)         DHA1625       330 mm       (NC 2325, 2330, 2331, 2350, 2355, 2357)         DHA1630       345 mm       (NC 2330, 2331, 2355, 2357)         DHA1635       360 mm         DHA1640       375 mm         DHA1650       405 mm         DHA1650       405 mm         DHA1665       420 mm         DHA1660       435 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1740       450 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	
DHA1625 330 mm (NC 2325, 2330, 2331, 2350, 2355, 2357)  DHA1630 345 mm (NC 2330, 2331, 2355, 2357)  DHA1635 360 mm  DHA1640 375 mm  DHA1645 390 mm  DHA1650 405 mm  DHA1665 420 mm  DHA1666 435 mm  DHA16670 465 mm  FRONT SEAT HEIGHT*  DHA1740 450 mm (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1950, 1952, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1950, 1952, 1954, 1956, 1958, 1960)  DHA1755 480 mm  (NC 1950, 1952, 1954, 1956, 1958, 1960)	O
DHA1630 345 mm (NC 2330, 2331, 2355, 2357)  DHA1635 360 mm  DHA1640 375 mm  DHA1645 390 mm  DHA1650 405 mm  DHA1660 435 mm  DHA1665 450 mm  DHA1665 450 mm  FRONT SEAT HEIGHT*  DHA1740 450 mm (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)  DHA1745 460 mm (NC 1946, 1954, 1956, 1958, 1960)  DHA1750 470 mm (NC 1950, 1952, 1954, 1956, 1958, 1960)  DHA1755 480 mm (NC 1950, 1952, 1954, 1956, 1958, 1960)	0
DHA1635       360 mm         DHA1640       375 mm         DHA1645       390 mm         DHA1650       405 mm         DHA1655       420 mm         DHA1660       435 mm         DHA1661       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1640       375 mm         DHA1645       390 mm         DHA1650       405 mm         DHA1655       420 mm         DHA1660       435 mm         DHA1665       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1645       390 mm         DHA1650       405 mm         DHA1655       420 mm         DHA1660       435 mm         DHA1665       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1650       405 mm         DHA1655       420 mm         DHA1660       435 mm         DHA1665       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1655       420 mm         DHA1660       435 mm         DHA1665       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	•
DHA1660       435 mm         DHA1665       450 mm         DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1665       450 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1670       465 mm         FRONT SEAT HEIGHT*         DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
FRONT SEAT HEIGHT*           DHA1740         450 mm         (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)           DHA1745         460 mm         (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)           DHA1750         470 mm         (NC 1950, 1952, 1954, 1956, 1958, 1960)           DHA1755         480 mm         (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1740       450 mm       (NC 1946, 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	0
DHA1745       460 mm       (NC 1948, 1950, 1952, 1954, 1956, 1958, 1960)         DHA1750       470 mm       (NC 1950, 1952, 1954, 1956, 1958, 1960)         DHA1755       480 mm       (NC 1952, 1954, 1956, 1958, 1960)	
DHA1750     470 mm     (NC 1950, 1952, 1954, 1956, 1958, 1960)       DHA1755     480 mm     (NC 1952, 1954, 1956, 1958, 1960)	O
DHA1755 480 mm (NC 1952, 1954, 1956, 1958, 1960)	0
	0
	0
DHA1760 490 mm (NC 1954, 1956, 1958, 1960)	0
DHA1765 500 mm (NC 1956, 1958, 1960)	0
DHA1770 510 mm (NC 1958, 1960)	0
DHA1775 520 mm (NC 1960)	O
DHA1780 530 mm (NC 5000)	O
DHA1785 540 mm (NC 5000, 5050, 5100, 5150, 5200, 5250)	0

lower*	000	(NC 6420, 6430)	~
DHA1815	390 mm		0
DHA1820	400 mm	(NC 6420, 6430)	0
DHA1825	410 mm	(NC 6430)	0
DHA1830	420 mm	(NC 6430)	0
DHA1835	430 mm		0
DHA1840	440 mm		0
DHA1845	450 mm		0
DHA1850	460 mm		0
DHA1855	470 mm	(NC 6410)	O
DHA1860	480 mm	(NC 6410)	0
LOWER LEG LI	ENGTH Seat canvas to footplate me	asurement, cushion height must be deducted.*	
DHA1936	380 mm		0
DHA1938	390 mm		0
DHA1940	400 mm		O
DHA1942	410 mm		0
DHA1944	420 mm		O
DHA1946	430 mm		0
DHA1948	440 mm		0
DHA1950	450 mm		0
DHA1952	460 mm		0
DHA1954	470 mm		0
DHA1956	480 mm		0
DHA1958	490 mm		0
DHA1960	500 mm		0
BACKREST*			
DHA2140	Angle Adustable, Forward Fold Backrest remains locked for tra		<b>*</b>
BACKREST UP	HOLSTERY*		
DHA2240	Without Backrest Upholstery Se Matrx/Fixed backrest, no uphols		•

MATRX BACKE	REST*		
DHA2300	Matrx MX2, Height 150 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2305	Matrx MX2, Height 230 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2310	Matrx MX2, Height 305 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2315	Matrx MX2, Height 405 mm with Q/R Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.	(NC 2370, 2372)	£751
DHA2316	Matrx Elite Deep E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2317	Matrx Elite Deep E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2318	Matrx Elite Deep E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2320	Matrx Elite Deep E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£546
DHA2332	Matrx Elite E2, Height 160 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2334	Matrx Elite E2, Height 210 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2335	Matrx Elite E2, Height 260 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2340	Matrx Elite E2, Height 310 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.		£494

MATRX BACKE	REST WIDTH CHOICE*	
DCA2360	360mm Backrest width, to fit chest width 265mm	C
DCA2362	380mm Backrest width, to fit chest width 290mm	O
DCA2364	410mm Backrest width, to fit chest width 315mm	O
DCA2366	430mm Backrest width, to fit chest width 340mm	O
DCA2368	460mm Backrest width, to fit chest width 370mm	Q
DCA2370	480mm Backrest width, to fit chest width 390mm	<b>O</b>
DCA2372	510mm Backrest width, to fit chest width 420mm	O
PUSH HANDLE	S*	
DHA2400	Without Push Handles	•
DHA2410	Push Handles Fixed Short/Mini Grip	£133
DHA2420	Push Handles Fixed Long Grip	0
DHA2440	Push Handles Height Adjustable, Integrated in backrest	£219
DHA2450	Push Handles Foldable	£198
BACKREST AN	GLE*	
DHA2510	76° angle from the seat	O
DHA2530	80.5° angle from the seat	O
DHA2550	85° angle from the seat	<b>♦</b>
DHA2570	89.5° angle from the seat	O
DHA2590	94° angle from the seat	O
SEAT UPHOLS	TERY*	
DHA2600	Standard Seat Upholstery	•
SEAT CUSHION	N Company of the comp	
DHA2700	Standard Seat Cushion, 60mm High Double Foam with (NC 2810, 2820, 2830, 2840, 2850) Visco Top Layer - Comfort/Low Risk	£66
DHA2710	Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)	£121
DHA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk	£410
DHA2748	Contour Visco NG Cushion 100mm High - High Risk (NC 2810, 2820, 2830, 2840, 2850)	£169
DCA2750	Vicair Active O2 lightweight cushion 60mm High - High (NC 2810, 2820, 2830, 2840, 2850, 2860) risk	£521
SEAT BAG		
DHA2800	Seat Bag, Click in and removable, includes the fixation (NC 7010)	£74
MATRX LIBRA	CUSHION ACCESSORIES	
DHA2810	Fluid supplement sac (Pair)	£44
DHA2820	Tapered wedge (Pair)	£30
DHA2830	Abductor	£23
DHA2840	Lateral side wedge	£20
DHA2850	Anterior front wedge	£27
SEAT RIGIDIZE	R	
DHA2860	Seat rigidizer	£39
FOOTREST*		
DHA3240	Rigid, Plastic Footplate, Set to front, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	•
DHA3250	Rigid, Plastic Footplate, Set to rear, Height and Angle Adjustable. Note: This does not flip up for transfer, but folds easy for transport and storage	•

CALF STRAP*			
DHA3320	Calf Strap Mounted on Supporter		•
DHA3330	Calf Strap Mounted on Frame		Q
CLOTHESGUA	RDS/MUDGUARDS*		
DHA3405	Composite Clothesguards, Flip Back - (only possible with 24" and 25" rear wheels)	(NC 6430)	0
DHA3420	Carbon Clothesguards, Flip Up		<b>*</b>
DHA3425	Composite Mudguards, Fixed (only possible with 24" and 25" rear wheels)	(NC 3490, 6430)	£65
DHA3430	Carbon Mudguards, Fixed	(NC 3490)	£247
DHA3440	Carbon Mudguards, Removable	(NC 3490)	£307
DHA3450	Composite Mudguards, Removable (only possible with 24" & 25" rear wheels)	(NC 3490, 6430)	£65
ARMREST			
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included		£106
FRAME COLOL	JR*		
DHA4000	Space Black (RAL 9005)	(NC 4066)	0
DHA4010	Anthracite Grey (RAL 7016)	(NC 4066)	0
DHA4020	Pure White (RAL 9016)	(NC 4066)	0
DHA4030	Carmine Red (RAL 3002)	(NC 4066)	0
DHA4040	Azure Blue (RAL 5017)	(NC 4066)	0
DHA4060	Flashy Yellow (RAL 1516) (Additional 15 day lead time)	(NC 4066)	£31
DHA4100	Black Glossy (RAL 9005) (Additional 15 day lead time)	(NC 4066)	£31
DHA4130	Silver Grey (RAL 9006) (Additional 15 day lead time)	(NC 4066)	£31
DHA4145	Pearl Night Blue (Additional 15 day lead time)	(NC 4066)	£31
DHA4150	Ruby Red (RAL 1503) (Additional 15 day lead time)	(NC 4066)	£31
DHA4170	Dynamite Orange (Additional 15 day lead time)	(NC 4066)	£31
DHA4180	Forest Green (RAL 6029) (Additional 15 day lead time)	(NC 4066)	£31
UHA4101	Mirror Polish with standard varnish finish (Premium ceramic glaze finish available, for this option select UHA4066)		£399
UHA0008	Your personal frame colour. Add RAL colour of your choice in special comments box, for a personalised colour frame		£299
CERAMIC GLA	ZE FRAME FINISH		
UHA4066	Ceramic glaze finish on frame, for added durability		£336
FRAME DECAL	. TYPE*		
DHA4195	Tag (Small Küschall brand transfer on front of frame)	(NC 2222)	•
DHA4197	Without Tag (Kuschall branding only)	(NC 4300, 4310)	0
TAG COLOUR*			
DHA4300	Black		0
DHA4310	Red		0
DHA2222	No tag colour, select only with Option DHA4197 Without Tag	(NC 4195)	0

FRONT CASTO		(NC 5502 5504 5506 5507 5508 5500 5540)	^
DHA5000	75mm x 25mm (3" x 1") Supersport	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<u>O</u>
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options		£93
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
DHA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	0
DHA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	<b>♦</b>
DHA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre	(NC 5502, 5504, 5506, 5507, 5508, 5509, 5510)	£83
DHA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) Use this option to access 5" anodised colour options		£93
DHA5500	125mm x 36mm (5" x 1.4") (Frog Legs) Aluminium Softroll Silver hub, Black tyre (Frogs Legs)	(NC 5502, 5504, 5506, 5507, 5508, 5509)	£93
ANODISED COI	LOUR SOFTROLL CASTORS		
UHA5502	Pink		£50
UHA5504	Orange		£50
UHA5506	Blue		£50
UHA5507	Purple		£50
UHA5508	Red		£50
UHA5509	Gold		£50
CERAMIC CAST	FOR BEARINGS		
UHA5510	Ceramic castor bearings for Aluminium soft roll castors		£58
REAR WHEEL I	POSITION (CENTRE OF GRAVITY)*		
DHA6100	1st from front Most Active Position		0
DHA6110	2nd from front		O
DHA6120	3rd from front		O
DHA6130	4th from front		O
DHA6140	5th from front		<b>♦</b>
DHA6150	6th from front		O
DHA6160	7th from front		O
DHA6170	8th from front		O
DHA6180	9th from front		0
QUAD QUICK R	ELEASE AXLE		
DHA6300	Quad Quick Release/Tetra Clip	(NC 6550, 6551, 6552, 6553, 6554, 0907)	£85
REAR WHEEL	SIZE*		
DHA6410	24"		•
DHA6420	25"	(NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900)	O
DHA6430	26"	(NC 6520, 6550, 6551, 6552, 6553, 6554, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770)	O

REAR WHEEL 1	TYPE*		
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579)	•
DHA6520	24", 25" High Performance Wheel Black hub and rim	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6570, 6571, 6572, 6573, 6574, 6575, 6576, 6577, 6579, 6660)	£182
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black (Unique coloured spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6660)	£611
UHA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6660)	£785
UHA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6660)	£844
UHA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available)	(NC 6660)	£893
UHA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6660)	£1,084
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. (Unique coloured spokes available)	(NC 6557, 6558, 6559, 6560, 6561, 6562, 6563, 6564, 6565, 6566, 6567, 6568, 6569, 6660)	£486
ANODISED COI	LOUR SPINERGY RIM (DESIGN LAB)		
UHA6557	Blue		£179
UHA6558	Gold		£179
UHA6559	Green		£179
UHA6560	Orange		£179
UHA6561	Red		£179
UHA6562	Purple		£179
ANODISED COI	LOUR SPINERGY HUB (DESIGN LAB)		
UHA6563	Blue		£179
UHA6564	Gold		£179
UHA6565	Silver		£179
UHA6566	Green		£179
UHA6567	Orange		£179
UHA6568	Red		£179
UHA6569	Purple		£179
SPINERGY COL	OURED SPOKES		
UHA6570	Blue		£84
UHA6571	Green		£84
UHA6572	Orange		£84
UHA6573	Pink		£84
UHA6574	Red		£84
UHA6575	Purple		£84
UHA6576	White		£84
UHA6577	Yellow		£84
CERAMIC BEAM	RING REAR WHEEL		
UHA6579	Ceramic Bearing for Spinergy rear wheels		£170

REAR WHEEL 1	YRE*		
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection		<b>*</b>
DHA6625	24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.		£100
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)		£97
DHA6660	24" x 1 3/8" Solid Profile Black Tyre	(NC 7230)	£66
HANDRIM*			
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance		£223
DHA6710	24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance		£62
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		£192
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip		£320
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands		£320
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion		£284
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim		£356
DHA6780	24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance		<b></b>
DHA6790	24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting		£42
REAR WHEEL O	CAMBER*		
DHA6820	0° Camber		•
DHA6830	1° Camber		O
DHA6840	3° Camber	(NC 7230)	O
SPOKEGUARD			
DHA6900	22", 24", 26" Transparent		£120
FIXATION CLIP	*		
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)		0
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)		<b>*</b>
DHA3333	No fixation clip, select with Tapered frame options 1170, 1180		O
UNFOLDING HE	ELP*		
DHA7100	Unfolding Help (Cord to help open the folding mechanism from the front of the chair)		<b>♦</b>
UNIQUE CUSTO	MISATION COLOUR PACKAGE		
UHA6960	UNIQUE KIT 1 - Includes custom colour forks and bearing cover. Select colour from the 10 choices below		£111
UHA6961	UNIQUE KIT 2 - Includes custom colour forks and bearing cover, castor fork supporter, rear wheel supporter, brake clamps & SK front frame folding brackets. Select colour from the 10 choices below		£285

UNIQUE CUSTO	DMISATION COLOURS	
UHA6963	Red	O
UHA6964	Purple	0
UHA6965	Copper	O
UHA6966	Green	0
UHA6967	Orange	0
UHA6968	Gold	0
UHA6969	Champagne	O
UHA6970	Pink	0
UHA6971	Blue	0
UHA6972	Mirror Finish	<b>O</b>
BRAKES*		
DHA7200	Pull Brakes	£78
DHA7210	Standard Push to Lock Brakes, Lever Bent	<b>♦</b>
DHA7220	Standard Push to Lock Brakes, Lever Straight	0
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips (NC 7300, 7810, 7820, 7830) away from tyre	£78
DHA7240	Active/Scissor Brakes (NC 7300)	£78
DHA7250	Light/Compact Active, Aluminium Brakes (NC 7300)	£136
BRAKE LEVER	EXTENSION	
DHA7300	Brake Lever Extension	£49
SAFETY OPTIO	NS	
DHA7500	Anti-Tipper Right	£122
DHA7510	Anti-Tipper Left	£122
DHA7520	Anti-Tipper Both sides	£244
DHA7800	Standard Pelvic belt	£74
BODYPOINT BE	ELTS	
DHA7810	Bodypoint Posture Belt Evoflex Small	£81
DHA7820	Bodypoint Posture Belt Evoflex Medium	£81
DHA7830	Bodypoint Posture Belt Evoflex Large	£81
OTHER OPTION	IS	
DHA8010	Front Frame Protectors; 2 Piece. Removable with hook and loop	£37
DHA8100	Tipper-Aid, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and Cane holder)	£46
DHA8200	Cane Holder, Mounted Right Side Max. 2 adaptions per side (Adaptations = Anti tipper, Tipper aid and cane holder)	£75
DHA8500	Air Pump	£13
DHA8550	Tool Kit	<b>♦</b>
DHA8680	24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£320
DHA8750	Travel bag for Champion SK,	£373
BODYPOINT AC	CCESSORIES	
DHA8800	Bodypoint Calf Strap	£57
DHA8850	Bodypoint Mobility Bag	£55

**TOTAL PRICE** 

Non Conforming Options:				
DHA1946	430 mm			
DHA1948	440 mm			
DHA1950	450 mm			
DHA1952	460 mm			
DHA1954	470 mm			
DHA1956	480 mm			
DHA1958	490 mm			
DHA1960	500 mm			
DHA2325	Matrx Elite Deep E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2330	Matrx Elite Deep E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2331	Matrx Elite Deep E2, Height 510 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2345	Matrx Elite E2, Height 360 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2350	Matrx Elite E2, Height 410 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2355	Matrx Elite E2, Height 460 mm with Easy-Set Hardware. Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DHA2357	Matrx Elite E2, Height 510 mm with Easy-Set Hardware.Ensure the top of the Matrx backrest is no higher than 465mm, the highest backrest setting.			
DCA2360	360mm Backrest width, to fit chest width 265mm			
DCA2362	380mm Backrest width, to fit chest width 290mm			
DCA2364	410mm Backrest width, to fit chest width 315mm			
DCA2366	430mm Backrest width, to fit chest width 340mm			
DCA2368	460mm Backrest width, to fit chest width 370mm			
DCA2370	480mm Backrest width, to fit chest width 390mm			
DCA2372	510mm Backrest width, to fit chest width 420mm			
DHA2400	Without Push Handles			
DHA2710	Flo-Tech Lite Cushion 78mm High - Comfort/Low Risk			
DHA2720	Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk			
DHA2748	Contour Visco NG Cushion 100mm High - High Risk			
DHA2810	Fluid supplement sac (Pair)			
DHA2820	Tapered wedge (Pair)			
DHA2830	Abductor			
DHA2840	Lateral side wedge			
DHA2850	Anterior front wedge			
DHA2860	Seat rigidizer			
DHA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included			
UHA4066	Ceramic glaze finish on frame, for added durability			
DHA4195	Tag (Small Küschall brand transfer on front of frame)			
DHA4300	Black			
DHA4310	Red			
DHA2222	No tag colour, select only with Option DHA4197 Without Tag			
DHA5000	75mm x 25mm (3" x 1") Supersport			
DHA5050	100mm x 30mm (4" x 1.2") Everyday Black hub and tyre			

DHA5100	100mm x 30mm (4" x 1.2") Comfort Black hub and tyre
DHA5150	100mm x 25mm (4" x 1") Starec Black hub and tyre
DHA5200	100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frogs Legs) Use this option to access 4" anodised colour options
DHA5250	100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
UHA5502	Pink
UHA5504	Orange
UHA5506	Blue
UHA5507	Purple
UHA5508	Red
UHA5509	Gold
UHA5510	Ceramic castor bearings for Aluminium soft roll castors
DHA6180	9th from front
DHA6410	24"
DHA6420	25"
DHA6430	26"
DHA6510	24", 26" Küschall Starec Wheel, 24" & 26" Black Cross Spokes, Rim & Hub.
DHA6520	24", 25" High Performance Wheel Black hub and rim
DHA6550	24", 25" Spinergy LXK, Black hub, rim and 18 spokes in Black (Unique coloured spokes available)
UHA6551	24", 25" Spinergy Lite Extreme LX, Weight 687 grams per wheel (Unique coloured rims, hub and spokes available)
UHA6552	24", 25" Spinergy Lite Extreme X-laced XLX, Weight 821 grams per wheel (Unique coloured rims, hub and spokes available)
UHA6553	24", 25" Spinergy X-Laced Sport Lite Extreme XSLX, Weight 757 grams per wheel (Unique coloured rims, hub and spokes available)
UHA6554	24", 25" Spinergy Carbon Fibre CLX, Weight 530 grams per wheel (Unique coloured hub and spokes available)
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. (Unique coloured spokes available)
UHA6557	Blue
UHA6558	Gold
UHA6559	Green
UHA6560	Orange
UHA6561	Red
UHA6562	Purple
UHA6563	Blue
UHA6564	Gold
UHA6565	Silver
UHA6566	Green
UHA6567	Orange
UHA6568	Red
UHA6569	Purple
UHA6570	Blue
UHA6571	Green
UHA6572	Orange
UHA6573	Pink
UHA6574	Red
UHA6575	Purple
UHA6576	White

UHA6577	Yellow
UHA6579	Ceramic Bearing for Spinergy rear wheels
DHA6600	24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection
DHA6630	24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)
DHA6660	24" x 1 3/8" Solid Profile Black Tyre
DHA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DHA6710	24", 26" Steel, short tab with 1 hole, mounted at 3 cm distance
DHA6720	24" Titanium, long tab with 2 holes for 3cm or 4cm mounting, mounted at 3cm distance
DHA6740	24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip
DHA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands
DHA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DHA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DHA6900	22", 24", 26" Transparent
DHA7000	Fixation Strap (Hook and loop strap under the seat holds the frame together when folded for easy transportation, designed for clients with limited hand function)
DHA7010	Fixation Clip (Plastic clip on either side of the seat holds the frame together when folded for easy transportation)
DHA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DHA7300	Brake Lever Extension
DHA7810	Bodypoint Posture Belt Evoflex Small
DHA7820	Bodypoint Posture Belt Evoflex Medium
DHA7830	Bodypoint Posture Belt Evoflex Large



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com

Special Instructions Please supply the following information:		
Name:	Email:	
Phone:		
Description of special request (please include relevant option code	or part number):	