



Yes, you can.

INVACARE REA AB  
Box 200, S-343 75 DÖ  
Tel. +46(0)476/535 00 - Fax +46(0)476/535 98

Manual Wheelchair  
European Prescription Form

LPF\_NO\_Spirea\_4NG\_170601  
Created/Modified by: Gustave Moot

2017-06-01

Rea™ Spirea 4 NG®

Customer Name :  
Dealer :  
Account No :  
Address :  
Tel No :  
Delivery address :  
Order No :  
Order Qty :  
Order Date :

OR DEALER STAMP

□ please make your selection with a cross in the box u Standard feature m Free of Charge (NC9999) non conformance with option 9999

Max Customer weight = 135 Kg

→ Description	NC	
BUA0010 Rea Spirea 4 NG		u
BUA8000 Specials		p

PROPULSION TYPE

BUA0020 Standard wheel hub, QR axle	1115	u
BUA0030 Equipped with assistant manoeuvred drumbrakes (22" or 24" rear wheels, QR axle)	0165;0170;0180;0246;0310;0990;1115	p
BUA0040 Dual handrim propulsion LH with aluminium hand rims, QR axle, 24" rear wheels, 0° seat angle	0070;0165;0170;0180;0190;0220;0920;0940;0950;0980;0990;1010;1060;1080;1110;1115;1230	p
BUA0050 Dual handrim propulsion RH with aluminium hand rims, QR axle, 24" rear wheels, 0° seat angle	0070;0165;0170;0180;0190;0220;0920;0940;0950;0980;0990;1010;1060;1080;1100;1115;1230	p
BUA0060 Transit propulsion, 16" rear wheels, 0° seat angle (only available with fixed rear wheel axle and assistant brake)	0165;0170;0180;0190;0210;0310;0920;0930;0940;0950;0980;0990;1000;1010;1020;1030;1040;1050;1060;1080;1090;1100;1110;1160;0325	p

SEAT DIMENSIONS

SEAT WIDTH

BUA0070 355 mm (Only as a Special)	0160;0240;0245;0246;0260;0280;0288;0325;0340;0395;0400;0405;0445;0450;0455;0480;0490;0510;0530;0550;0780;0790;1100;1110	p
BUA0080 380 mm	0160;0288	p
BUA0090 405 mm	0288	p
BUA0100 430 mm	0288	p
BUA0110 455 mm	0288	p
BUA0120 480 mm	0288	p
BUA0130 505 mm	0284	p

SEAT DEPTH

BUA0140 350-400 mm, depth adjustable		p
BUA0150 400-450 mm, depth adjustable		p
BUA0160 450-500 mm, depth adjustable	0165	p

SEAT HEIGHT with standard seat angle 3°

BUA0165 360 mm Not possible with Recline backrest.	0246;0395;0445;0480;0490;0510;0520;0525;0530;0550;0560;0565;0830;0840;0850;0860;0870;0880;0890;0900;0920;0930;0940;1040;1050;1150;1160	p
BUA0170 380 mm	0510;0520;0525;0550;0560;0565;0830;0840;0850;0860;0870;0880;0890;0900;0915;0930;0940;1165	p
BUA0180 410 mm	0510;0520;0525;0550;0560;0565;0820;0830;0870;0880;0890;0900;0915;0930;0940;1165	p
BUA0190 435 mm	0510;0520;0525;0550;0560;0565;0820;0870;0880;0890;0900;0915;1165	p
BUA0200 460 mm	0510;0520;0525;0550;0560;0565;0820;0915;1165	p
BUA0210 485 mm	0820;0915;1165	u
BUA0220 510 mm	0395;0445;0780;0790;0820;0830;0840;0850;0860;0915;0920;1165	p

BACKREST

BACKREST TYPE

BUA0230 Fixed angle, height adjustable, 380-460 mm with sling upholstery	0291;0725;0735;0755	p
BUA0240 Fixed angle, height adjustable, 380-460 mm with adjustable velcro upholstery and cover	0291;0725;0735;0755	p
BUA0245 Biangular and height adjustable 405-505 mm with adjustable Velcro and cover	0281;0282;0284;0286;0288;0291;0293;0295;0310;0320;0325;0702;0703;0704;0705;0706;0707;0715;0725;0735	p
BUA0246 Recline 0-30°, gas spring, (incl backbrace) 3 heights 470/490/510 mm (Delivered 510 mm) with fixed push handles, simple tension adjustable backrest with bi-material with cover. Max user weight 125 kg (only for Norway)	0281;0282;0284;0286;0288;0290;0293;0300;0310;0320;0325;0570;0640;0702;0703;0704;0705;0706;0707;0710;0715;0720;0730;0755;1020;1030;1115;	p
BUA0250 Angle adjustable, height adjustable, 350-480 mm with sling upholstery	0291;0325;0725;0735	p
BUA0260 Angle adjustable, height adjustable, 350-480 mm with adjustable velcro upholstery and cover	0291;0325;0725;0735;0755	u
BUA0270 Angle adjustable, height adjustable, 420-550 mm with sling upholstery	0281;0282;0291;0295;0325;0725;0735;0755	p
BUA0280 Angle adjustable, height adjustable, 420-550 mm with adjustable velcro upholstery and cover	0281;0282;0291;0295;0325;0725;0735	p

BACKREST MATRX (only for Sweden)

BUA0281 MatrX PB Elite std, incl hardware	0290;0300;0310;0320;0325;0710;0720;0725;0730;0735;0740;0750	p
BUA0282 MatrX PB Elite deep, incl hardware	0290;0300;0310;0320;0325;0702;0703;0704;0705;0706;0707;0710;0720;0725;0730;0735;0740;0750	p
BUA0283 Without MatrX.	0284;0286;0288;0702;0703;0704;0705;0706;0707;0715	p

BACKREST HEIGHT MATRX

BUA0284 Height 310 mm		p
BUA0286 Height 410 mm		p
BUA0288 Height 460 mm		p

BACKREST UPHOLSTERY MATERIAL / COLOURS

BUA0290 Black Jemima TR18		u
BUA0291 Bi-material padded cover with pocket (only for Norway)		p
BUA0293 Without backrest upholstery, prepared for MatrX	0300;0310;0320;0325;0710;0720;0730;0740;0750	p

PUSH HANDLES

BUA0295 Fixed	0720;0730;0740;0750	p
BUA0300 Adjustable (External) long grip for drum brakes (incl in headrest and neckrest)		p

BUA0310	<b>Adjustable (External) short grip for standard brakes</b>	0720;0730;0740;0750	p
BUA0320	<b>Adjustable + 100 mm (External) long grip</b>	0720;0730;0740;0750	p
BUA0325	<b>Push bar, angle and height adjustable</b>	0720;0725;0730;0735;0740;0750;1115	

|

SEAT			
<b>SEAT TYPE</b>			
BUA0330	Sling seat, depth adjustable		u
BUA0340	Velcro tension adjustable in depth and shape		p
<b>SEAT CUSHIONS</b>			
BUA0350	Standard seat cushion		p
BUA0360	Without seat cushion	0370	u
<b>SEAT CUSHION UPHOLSTERY</b>			
BUA0370	Black Jemima TR18		p
LEGRESTS / FOOTRESTS			
<b>LEGRESTS / HANGERS LH TYPE</b>			
BUA0380	Hanger angle adjustable - alu 2008, incl calf support, LH	0480	p
BUA0390	Hanger fixed 80 °, swing in swing out - alu 2003, LH		u
BUA0395	Hanger fixed 90 °, swing in swing out - alu 2005, LH	0490;0505;0510;0525;0780;0870;0880;0890;0900	p
BUA0400	Legrest amputee - alu 2008, LH	0480;0780;0790	p
BUA0405	Amputee, counter weight (3,5KG), LH (ONLY as a SPECIAL)	0480;0490;0500;0505;0510;0520;0525;0761; 0770;0780;1135	p
BUA0410	Legrest plaster, LH	0480	p
BUA0420	Without legrest, LH	0480;0770;0780;0790	p
<b>LEGRESTS / HANGERS RH TYPE</b>			
BUA0430	Hanger angle adjustable - alu 2008, incl calf support, RH	0480	p
BUA0440	Hanger fixed 80 °, swing in swing out - alu 2003, RH		u
BUA0445	Hanger fixed 90 °, swing in swing out - alu 2005, RH	0530;0545;0550;0565;0790;0870;0880;0890;0900	p
BUA0450	Legrest amputee, RH	0480;0780;0790	p
BUA0455	Amputee, counter weight (3,5KG), RH (ONLY as a SPECIAL)	0480;0530;0540;0545;0550;0560;0565;0761, 0770;0790;1135	p
BUA0460	Legrest plaster, RH	0480	p
BUA0470	Without legrest, RH	0480;0770;0780;0790	p
<b>FOOTREST ONE PIECE</b>			
BUA0480	Footrest one piece, depth and angle adjustable with calf strap	0490;0500;0505;0510;0520;0525;0530;0540;0545;0550;0560;0565;0780; 0790	p
<b>FOOTRESTS LH TYPE</b>			
BUA0490	Footrest lower part, fixed footplate with short tube, LH. (Length from seat tubing to plate: 320-440 mm)	0780;0793	p
BUA0500	Footrest lower part, adjustable in depth and angle footplate with short tube, LH. (Length from seat tubing to plate: 320-440 mm)		p
BUA0510	Footrest lower part, fixed footplate with long tube, LH. (Length from seat tubing to plate: 410-530 mm)	0780;0793	p
BUA0520	Footrest lower part, adjustable in depth and angle footplate with long tube, LH. (Length from seat tubing to plate: 410-530 mm)		u
<b>FOOTRESTS RH TYPE</b>			
BUA0530	Footrest lower part, fixed footplate with short tube, RH. (Length from seat tubing to plate: 320-440 mm)	0790;0793	p
BUA0540	Footrest lower part, adjustable in depth and angle footplate with short tube, RH. (Length from seat tubing to plate: 320-440 mm)		p
BUA0550	Footrest lower part, fixed footplate with long tube, RH. (Length from seat tubing to plate: 410-530 mm)	0790;0793	p
BUA0560	Footrest lower part, adjustable in depth and angle footplate with long tube, RH. (Length from seat tubing to plate: 410-530 mm)		u
ARMRESTS			
<b>ARMRESTS LH TYPE</b>			
BUA0570	Side guard, removable, LH	0795;0797;1190;1200;1210;1213;1215;1217	p
BUA0580	Armrest "Rio" height adjustable, short pad, LH	1190;1200;1210;1213;1215;1217	p
BUA0590	Armrest "Rio" height adjustable, long pad, LH	1213;1215;1217	u
BUA0592	Armrest "Rio" height adjustable, long pad, LH, Prepared for Half Tray	0797;1190;1191;1200;1210;1213;	p
BUA0585	"T" Armrest height adjustable, short pad, LH	0797;1190;1191;1200;1210;1213;1215;1217	p
BUA0595	"T" Armrest height adjustable, long pad, LH	0797;1190;1191;1200;1210;1213	p
BUA0600	Armrest Comfort, height adjustable, short pad, LH	0795;0797;1190;1200;1210;1213;1215;1217	p
BUA0610	Armrest Comfort, height adjustable, long pad, LH	0795;0797;1213;1215;1217	p
BUA0620	Hemiplegic armrests, LH. Not to combine with table tray	0795;0797;1190;1200;1210;1213;1215;1217	p
BUA0630	Without armrest, LH	0795;0797;1170;1190;1200;1210;1213;1215;1217	p
<b>ARMRESTS RH TYPE</b>			
BUA0640	Side guard, removable, RH	0795;0797;1190;1200;1210;1213;1215;1217	p
BUA0650	Armrest "Rio" height adjustable, short pad, RH	1190;1200;1210;1213;1215;1217	p
BUA0660	Armrest "Rio" height adjustable, long pad, RH	1213;1215;1217	u
BUA0662	Armrest "Rio" height adjustable, long pad, RH, Prepared for Half Tray	0797;1190;1191;1200;1210;1215;	p
BUA0665	"T" Armrest height adjustable, long pad, RH	0797;1190;1191;1200;1210;1215	p
BUA0670	Armrest Comfort, height adjustable, short pad, RH	0795;0797;1190;1200;1210;1213;1215;	p
BUA0680	Armrest Comfort, height adjustable, long pad, RH	0795;0797;1213;1215;1217	p
BUA0690	Hemiplegic armrests, RH. Not to combine with table tray	0795;0797;1190;1200;1210;1213;1215;1217	p
BUA0700	Without armrest, RH	0795;0797;1170;1190;1200;1210;1213;1215;1217	p
SEATING OPTIONS			
<b>BACKREST OPTIONS</b>			
BUA0702	Trunk support MatrX, fixed, offset, std, LH	0708	p
BUA0703	Trunk support MatrX, fixed, offset, std, RH	0708	p
BUA0704	Trunk support MatrX, swing away, large, LH	0708	p
BUA0705	Trunk support MatrX, swing away, large, RH	0708	p
BUA0706	Trunk support MatrX, swing away, offset, large, LH	0708	p
BUA0707	Trunk support MatrX, swing away, offset, large, RH	0708	p
BUA0708	Lateral positioning pads (with velcro between cover and backrest upholstery), pair		p
BUA0710	Backrest bar	0720;0730;0740;0750	u
BUA0715	Headrest MatrX, 250 mm soft pad		p
BUA0720	Neckrest (push handles included)	0730;0750	p
BUA0725	Neckrest for reclining backrest (only for Norway)		p
BUA0730	Headrest (push handles included)	0740	p
BUA0735	Headrest for reclining backrest (only for Norway)		p
BUA0740	Cover for neckrest		□
BUA0750	Cover for headrest		□
BUA0755	Extender backrest (only for BUA0280)		p
<b>LEGREST / FOOTREST OPTIONS</b>			
BUA0760	Heel straps		u
BUA0770	Calf strap ,soft		p
BUA0761	Handwheel for Alu legrest for Tool-less height adjustment		p
BUA0780	Footplate extender, LH	0870;0880;0890;0900	p
BUA0790	Footplate extender, RH	0870;0880;0890;0900	p
BUA0793	Footplate cover for Angle and depth adjustable footplates		p

ARMREST OPTIONS			
BUA0795	Padded armpad cover,Black plush TR35	1190;1200;1210	p
BUA0797	Handwheel for "Rio" armrest for Tool-less height adjustment		p

<b>CHASSIS</b>			
<b>CHASSIS COLOURS</b>			
BUA0800	Slate Grey		u
<b>CASTOR ATTACHMENT TYPES</b>			
BUA0810	Height and angle adjustable housing		u
<b>FRONT CASTORS</b>			
BUA0820	120 mm, Solid (5" x 1. 1/4")		p
BUA0830	140 mm, Solid medium hard (5. 1/2" x 1. 3/4")		p
BUA0840	150 mm, Solid medium hard (6" x 1. 1/4")		u
BUA0850	150 mm, Pneumatic (6" x 1. 1/4")		p
BUA0860	150 mm, Solid (6" x 1. 1/4")		p
BUA0870	200 mm, Solid (8" x 1. 1/4")		p
BUA0880	200 mm, Pneumatic (8" x 1. 1/4")		p
BUA0890	200 mm, Solid (8" x 2")		p
BUA0900	200 mm, Pneumatic (8" x 2")		p
<b>FORKS</b>			
BUA0910	Fixed steps (5 positions)		p
<b>REAR WHEELS SIZE/TYPE</b>			
BUA0915	20"	0970;0980;0990	p
BUA0920	22"		p
BUA0930	24"		p
BUA0940	24" Budget version	0950;0980;0990;1010	u
<b>TYRE TYPE</b>			
BUA0950	Tyres pneumatic non marking		p
BUA0960	Tyres pneumatic profiled		p
BUA0970	Tyres solid		u
BUA0980	Tyres punctureproof		p
BUA0990	Tyres low profile		p
<b>HANDRIM TYPE</b>			
BUA1000	Handrim aluminium		u
BUA1010	Handrim plastic coated		p
<b>WHEEL OPTION</b>			
<b>REAR WHEEL PLATE OPTIONS</b>			
BUA1020	Active rear wheel position (8 positions)	1245	u
BUA1030	Standard rear wheel position (3 positions)	1245	p
BUA1040	Passive rear wheel position (3 positions)	1160	p
BUA1050	Dual amputee rear wheel position (8 positions)	1160	p
<b>SPOKEGUARD</b>			
BUA1060	Spokeguard Frost		p
<b>CAMBER</b>			
BUA1070	0 ° camber		u
	2 ° camber (reverse mounting of rearwheel attachment)		p
BUA1080			
<b>SAFETY</b>			
<b>BRAKE TYPE</b>			
BUA1090	Push to lock brakes		u
BUA1100	One arm brake, LH	1140	p
BUA1110	One arm brake, RH	1140	p
BUA1115	User manoeuvred drumbrake		p
<b>SAFETY OPTIONS</b>			
BUA1120	Pelvic belt	1130	p
BUA1135	Transportation kit	1245	p
BUA1140	Brake lever extension, pair		p
BUA1150	Anti-tip devices, traditional		p
BUA1160	Anti-tip devices, swing away	1230	u
BUA1165	Anti-tip devices, ultra low		p
BUA1170	Autolock for armrest		p
BUA1180	Reflectors kit (wheels and chassis)		p
<b>ACCESSORIES</b>			
BUA1190	Table tray incl mounting kit	1210;1213;1215;1217	p
BUA1191	Table tray cushion	1213;1215;1217	p
BUA1200	Locking device for table tray	1210;1213;1215;1217	p
BUA1210	Mounting device for table tray (if ordered separately)	1213;1215;1217	p
BUA1213	Half table tray, clear, flip up, RH		p
BUA1215	Half table tray, clear, flip up, LH		p
BUA1217	Comfort padding for half table tray		p
BUA1220	Pump		p
BUA1230	Cane holder		p
BUA1240	Toolkit		p
BUA1245	Oxygen bottle holder, RH. (Anti-tippers recommended)	1135	p
<b>SPECIALS</b>			
<b>FREIGHT &amp; PRICE</b>			
<b>PACKAGING</b>			
<b>FREIGHT PRICE</b>			
<b>TOTAL PRICE</b>			