



Yes, you can.®

Tel: 01656 776222

Email: ordersuk@invacare.com

Online spares available at www.invacare.co.uk

ROBIN PRESCRIPTION FORM

April 2024

Account Name :	Account No :
Address :	Order No :
Tel No:	
Delivery address :	Order Date :

**Robin
Retail Order Form**

Please note all items shaded in light grey are special order items - lead time approx 2 -3 weeks

Please indicate details of your installation on last page

Step 1. Choose a Robin, Trolley and Charger

Product code	Qty	Motor Unit	RRP	Total
1588287		Invacare Robin (manual version) N.B Remember to select a trolley and charger	1411	

	Qty	Trolley - The below trolleys are approved for use with the tracks as indicated below	RRP	Total
1444008-9010		Trolley for Robin motor EC Track in white	78	
1485183-9010		Trolley for Robin motor room-to room in white	76	
1451871-9010		Trolley for Guldmann tracks for min / maxi / jumbo	76	
1446450-9010		Trolley for Liko track	101	
1505320-9010		Trolley for Chiltern / Prism / Handicare rails	76	
1530370-9010		Trolley for Oxford Easy Track Gantry / Arjo / BHM rails	141	
1530293-9010		Trolley for Ergolet Travers Rail 135 mm rails	141	
1525009-9010		Trolley for Ergolet Loftpro Rail 75 / 103 mm rails	141	
1530434-9010		Trolley for ETAC / LIC Rails	89	
60132135-9010		Trolley for Handicare MilkyWay rails	141	
60132136-9010		Trolley for Etac / Molift rails	141	

	Qty	Charger Set	RRP	Total
1493471-7035		Charger set (1.2/3m) IP67 with holder and bracket	203	

Step 2. Now choose your track profile and accessories

White	Qty	EC Track - S-profile	Total Qty of Track	Length of track 1	Length of track 2	Length of track 3	Length of track 4	RRP	Total
1450426-9010		2m in Length						160	
1450428-9010		3m in Length						238	
1450430-9010		4m in Length						315	
1450432-9010-SPECIAL		5m in Length						364	

White	Qty	EC Track - M-profile	Total Qty of Track	Length of track 1	Length of track 2	Length of track 3	Length of track 4	RRP	Total
1446406-9010		3m in Length						353	
1446408-9010		4m in Length						466	
1446409-9010-SPECIAL		4.8m in Length						558	

White	Qty	EC Track - L-profile	Total Qty of Track	Length track 1	Length track 2	Length of track 3	Length track 4	RRP	Total
1446413-9010-SPECIAL		5m in Length						705	
1446415-9010-SPECIAL		6m in Length						790	
1446417-9010-SPECIAL		7m in Length						900	
1446418-9010-SPECIAL		7.8m in Length						1225	

White (Standard)	Qty	Curves radius 400 for small track	RRP	Total
1450465-9010		30 degree, right	510	
1450466-9010		30 degree, left	510	
1450496-9010		45 degree, right	510	
1450497-9010		45 degree, left	510	
1450498-9010		60 degree, right	510	
1450499-9010		60 degree, left	510	
1450500-9010		90 degree, right	542	
1450501-9010		90 degree, left	542	

White	Qty	Fixtures - Standard	RRP	Total
1444045-9010		Curve 30 mm	15	
1444046-9010		Standard Straight Fixture 70mm	17	
1450509-9010		Standard Connection 120mm m/lock bolt	33	
1450508-9010		Standard Straight 70mm m/lock bolt	28	

White	Qty	Fixture - Quick	RRP	Total
1446295-9010		Straight 70 mm	20	
1446296-9010		Curve 30 mm	23	
1446297-9010		Connection 120 mm	23	

White	Qty	Pendels	RRP	Total
1449402-9010		20-30 cm adjustable, white	60	
1449403-9010		28-46 cm adjustable, white	56	
1449404-9010		44-74 cm adjustable, white	58	

White/Alu	Qty	Pendels (Special Order Item)	Length Required	RRP	Total
1449401-9010-SPECIAL		Fixed, state length		71	
1450291-9010-SPECIAL		Pendel with Tube, Fixed, White - State Length		121	

White	Qty	Wall Fixture Kit	RRP	Total
1449669-9010		Standard, M- profile	84	
1449670-9010		Standard, L-profile	113	
1449671-9010		Diagonal, M-profile	84	
1449672-9010		Diagonal, L- profile	141	
1451647-9010		Side Hung Wall Fixture	45	

	Qty	Floor and wall support kit	RRP	Total
1450557-9010		2,6 m for M profile	206	
1450559-9010		3,0 m for M profile	218	
1450558-9010		2,6 m for L profile	206	
1450560-9010		3,0 m for L profile	218	
1449334-9010		2,6 m for M profile, diagonal	275	
1449336-9010		3,0 m for M profile, diagonal	240	
1449335-9010		2,6 m for L profile, diagonal	309	
1449337-9010		3,0 m for L profile, diagonal	281	
1441488-9010		Feet to wall support, std	6	
1441416-9010		Feet for wall support, skirting board	9	

	Qty	Insert Bar for Joining Track	RRP	Total
1446357-9010		Insert Bar for joining M Profile track	34	
1446358-9010-SPECIAL		Insert Bar for joining L Profile track	74	

	Qty	Traverse trolley - Pair (Standard)	RRP	Total
1446422-9010		White Robin Traverse trolley set - partly between hung/under hung	235	
1449667-9010		White Robin Traverse trolley set - between hung	140	

Transit Coupling	Qty	Motor Box Track	RRP	Total
1491160-9010-SPECIAL		White	1700	

N.B Remember to order two pendels per coupling

Placement of Motor	The motor will be placed in	Room 1	Room 2
	Please tick box		

White	Qty	Fixtures for transit coupling	Qty Room 1	Qty Room 2	RRP	Total
1478763-9010-SPECIAL		Transit Coupling Lock Fixture Traverse Track S profile			290	
1483864-9010-SPECIAL		Transit Coupling Lock Fixture M/L profile			296	
1483862-9010-SPECIAL		Transit Coupling adjusting fixture S profile (parallel track profile)			59	
1485118-9010-SPECIAL		Transit Coupling adjusting fixture M/L profile (parallel track profile)			52	

	Standard Traverse - Description	
	Under hung	
	Between hung	

	Special Order Traverse - Description	
	Partly between hung	

	Qty	EC-Track Switch	RRP	Total
1451885-9010-SPECIAL		White	1213	

White	Qty	Standard Shims	RRP	Total
1446327-9010		Shim, 1 mm for 30 mm for quick ceiling bracket	8	
1446392-9010		Shim, 1 mm for 70 mm for quick ceiling bracket	8	
1446330-9010		Shim, 1 mm for 120 mm for quick ceiling bracket	8	
1446328-9010		Shim, 3 mm for 30 mm for quick ceiling bracket	8	
1446393-9010		Shim, 3 mm for 70 mm for quick ceiling bracket	8	
1446331-9010		Shim, 3 mm for 120 mm for quick ceiling bracket	8	
1446329-9010		Shim, 5 mm for 30 mm for quick ceiling bracket	8	
1446394-9010		Shim, 5 mm for 70 mm for quick ceiling bracket	8	
1446332-9010		Shim, 5 mm for 120 mm for quick ceiling bracket	8	
1446333-9010		Shim, 1 mm for 30 mm for standard ceiling bracket	8	
1446395-9010		Shim, 1 mm for 70 mm for standard ceiling bracket	8	
1449118-9010		Shim, 1 mm for 120 mm for standard ceiling bracket	8	
1446334-9010		Shim, 3 mm for 30 mm for standard ceiling bracket	8	
1446396-9010		Shim, 3 mm for 70 mm for standard ceiling bracket	8	
1449119-9010		Shim, 3 mm for 120 mm for standard ceiling bracket	13	
1449117-9010		Shim, 5 mm for 30 mm for standard ceiling bracket	13	
1446397-9010		Shim, 5 mm for 70 mm for standard ceiling bracket	9	
1449120-9010		Shim, 5 mm for 120 mm for standard ceiling bracket	13	

White	Qty	End Cover (Each)	RRP	Total
1441420-9010		S-profile	5	
1441421-9010		M-profile	5	
1441422-9010-SPECIAL		L-profile	5	
	Qty	End Stop (Pair)	RRP	Total
1449563-9010		White	35	

	Qty	Accessories	RRP	Total
1446455-7012		Strap, pair, incl. hooks and locks	174	
1493630-7035		Charger for External Battery	114	
1446269-7012		Flexi Scope, Bariatric	289	
1492967-7012		2 Point Spreader Bar 350 mm	199	
1492968-7012		2 Point Spreader Bar 450 mm	248	
1451870-7012		4 Point Spreader Bar 450 mm	400	
1493132-SPECIAL		Spreader Bar with Weighing Scales	2837	
1493227-7012		Transport Handle	114	
			TOTAL	

Installation orders
If you have selected items from the light grey shaded boxes, please use this page to indicate details of your installation
This will allow Invacare to ensure that track is cut according to the layout of the installation

Only for traverse system

State length between parallel tracks, measured from centre of track (T)

State traverse track's profile

Profile T= cm

Mounting	
Ceiling	p
Wall	p
Wall/floor	p
Pendle	p
Portal	p
Other	p

Make these marks on your system;

P = Parking/charging station


T = Distance between parallel tracks (traverse system only)



Wall material:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Length of track:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Track profile:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Material	Length
Concrete	
Wood	
Light concrete	
Gypsum	
False ceiling	

A



D

B

C

Name of technical contact:

Telephone no.of technical contact:

Special Requirements: