

## Powerchairs Retail **Prescription Form**

## Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk

APRIL 2024 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## Storm 4 Max

## **Standard Features**

- Max User Weight 220KG (34.5 Stone)
- Max Seating
- Seat Width from 490mm 610mm
- Seat Depths 560mm 630mm
- multi stretch PU coated fabric Upholstery
- Seat Height 480mm 510mm
- Manual Settable Tilt with Manual Settable Recline
- Reinforced Armrests
- Reinforced Legrests with Angle adjustable flip-back footboard
- Headrest, sideways and depth adjustable
- LiNX Control REM110 with standard bracket
- Choice of 6 Colours
- **Puncture Proof Castors**
- Puncture Proof Drive Wheels
- 6 km/h (4mph) Motors
- 8A (200 250V) Charger
- 4 Point tie down system
- 73.5 Ah (Gel) batteries
- Bolted on anti tippers Standard Base price: £7,789



standard feature POA special request

Please make your selection with a cross in the box	0	Free of charge	•	standard feature POA special request	

Customer weight = KG

Please make your selection with a cross in the box

Code	Description			
CHAIR TYPE*				
AWA0000	Storm 4 Max	£7,789		
AWZ0000	Special Storm 4 Max (Please provide details in special section)	POA		
SEATING TYPE*				
AWA1145	MAX SEAT UNIT	•		
BACK CUSHION*				
AWA1106	Tension adjustable 630mm - 620mm high with SW55 / 610mm 570mm High with SW490mm	•		

SEAT WIDTH*		
AWA0348	Seat Width 490mm	O
AWA0378	Seat Width 550mm	O
AWA0380	Seat Width 610mm (NC 0503)	O
SEAT CUSHION	*	
AWA1457	Seat cushion Max (505mm x 535mm)	O
AWA1459	Seat cushion Max (550mm x 635mm)	0
AWA1460	Seat cushion Max (610mm x 635mm)	0
SEAT DEPTH S	ETTABLE IN 3 STEPS*	
AWA0396	Seat Depth 560mm	O
AWA0397	Seat Depth 595mm	0
AWA0398	Special Seat depth 630mm	POA
ADAPTER TO R	REDUCE SEAT DEPTH	
AWA0399	Adapter to shorten the seat depth by 130mm	£49
UPHOLSTERY 1	TYPE*	
AWA0278	multi stretch PU coated fabric	<b>♦</b>
ARMRESTS INC	CLUDING REINFORCED DEPTH ADJUSTABLE BRACKET*	
AWA0635	Fixed armrest 250mm - 340mm height adjustable removable	O
AWA0636	Fixed armrest 290mm - 380mm height adjustable removable	O
ARMPAD*		
AWA0647	Standard Armpad 325mm	O
AWA0649	Armpad extended plus 50mm	O
PUSH BAR*		
AWA1307	Push bar - height adjustable	O
HEADREST / NE	ECKREST - Adequate headrest option must be selected*	
AWA1432	Headrest sideways and depth adjustable	<b>♦</b>
AWA1427	Headrest with cheek support sideways adjustable	£195
AWA1495	Equivalent non Invacare Headrest supporting the requirements of ISO7176-19:2001 Provided independently from this order	0
SEAT HEIGHT*		
AWA1025	Fixed seat height 480mm	O
AWA1006	Fixed seat height 510mm	O
SEAT TILT*		
AWA1002	Manual Seat Tilt by spindle	O
AWA1014	Electrical Tilt 0° to 15°	£514
BACKREST RE	CLINER*	
AWA0958	Settable recliner by spindle (0° - 25°)	O
AWA0947	Electrical recliner (with high pivot, shearing compensation)	£454
FOOTREST HAI	NGER TYPE (PAIR)*	
AWA0564	Reinforced hanger fixed angle (not detachable without (NC 0522) tools)	0
AWA0503	Vari F : Angle adjustable with tools 0° - 70°, length (NC 0599) 290mm - 460mm	£102
CALF PADS		
AWA0583	Calf Pads adjustable	0

FOOTBOARD*			
AWA0599	Angle adjustable flip back heavy duty footboard	(NC 0503)	•
AWA0522	Angle adjustable footboard (for max user weight 200kg)	(NC 0564)	O
CONTROLS*			
AWA2201	REM110 Drive only	(NC 1437)	<b>♦</b>
AWA2203	REM211 Drive & Actuators	(NC 1437)	O
AWA2204	REM216 Drive, Actuators & Lights		£130
CONTROL BRA	CKETRY*		
AWA1207	Standard Bracket RH		O
AWA1208	Standard Bracket LH		O
AWA1707	Swing Away RH Bracket		£113
AWA1708	Swing Away LH Bracket		£113
AWA2227	Bracket RH mounted for Attendant	(NC 2219, 2220)	£54
AWA2228	Bracket LH mounted for Attendant	(NC 2219, 2220)	£54
DUAL CONTRO	L		
AWA2220	REM050 Dual Control (Please also select user control and bracket) (Please select dual control bracket)	(NC 2227, 2228, 2245)	£338
AWA2219	Compact Dual Control (ACU200) (Please select dual control bracket)	(NC 2227, 2228, 2245, 2201)	£338
DUAL CONTRO	L BRACKETEY		
AWA1207	Dual Control Standard Bracket RH	(NC 2227, 2228, 2245)	0
AWA1208	Dual Control Standard Bracket LH		O
INVACARE LINX	(IDC DUAL CONTROL		
AWA2245	Invacare LiNX IDC Dual control (Please select IDC dual control bracket below)	(NC 2227, 2228, 2220, 2219, 2201)	£641
INVACARE LINX	( IDC DUAL CONTROL BRACKETRY		
AWA1221	IDC Dual control Detachable Bracket RH	(NC 2227, 2228, 2220, 2219)	0
AWA1222	LiNX IDC Dual control Detachable Bracket LH	(NC 2227, 2228, 2220, 2219)	O
LINX 10-WAY S	WITCH		
AWA2251	10-Way Switch DLX-SW10-A for direct Powered Seating Access (included loom to connect + additional jack for mode switch)		£431
LINX 10-WAY SV	WITCH BRACKET		
AWA2217	10-Way Switch Bracket RH, Mounted for User		O
AWA2218	10-Way Switch Bracket LH, Mounted for User		O
AWA2227	10-Way Switch Bracket RH, Mounted for Attendant		£54
AWA2228	10-Way Switch Bracket LH, Mounted for Attendant		£54
LINX ACCESSO	RY		
AWA2252	Loom providing jack sockets for Drive and Mode (includes connection for 10-way switch)		£86
FURTHER LINX	COMPONENTS / ACCESSORIES		
AWA2300	To be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected)		0
BUDDY BUTTO	NS		
AWA1685	Red Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)		£75
AWA1686	Yellow Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)		£75
AWA1687	Green Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)		£75
AWA1690	Blue Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)		£75

EGG SWITCH		
AWA2254	Egg Switch, black (to be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected	£75
PIKO BUTTONS	8	
AWA1711	Red Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
AWA1712	Yellow Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
AWA1713	Green Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
AWA1714	Orange Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
AWA1715	Blue Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
AWA1716	Black Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£135
TOGGLES / BU	TTONS	
AWZ2261	Stereo Toggle - direct control for Tilt only	£230
AWZ2262	Stereo Button - direct control for Tilt only	£219
AWZ2263	Four-Way Toggle - direct control for Tilt & Recline	£286
AWZ2264	Four-Way Button - direct control for Tilt & Recline	£306
AWZ2207	Toggle / Button RH Mount	O
AWZ2208	Toggle / Button LH Mount	O
AWZ2225	Without Mounting	O
BODYPOINT JO	DYSTICK KNOBS	
AWA2721	3" U-Shaped, Joystick Handle, Bodypoint PC101A	£62
AWA2722	4" U-Shaped, Joystick Handle, Bodypoint PC102A	£62
AWA2723	Domed Rubber, Joystick Handle, Bodypoint PC107A	£62
AWA2724	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£62
REMOTE STOP	SWITCH	
AWZ2258	Remote Stop Switch (ASL504)	£897
SHROUD COLO	DUR*	
AWA0202	Blue	0
AWA0228	Black	O
AWA0220	Champagne	0
AWA0204	Transparent Cherry Red	O
AWA0222	White	O
AWA0216	Olive Green	O
AWZ0299	Special Shroud Colour (RAL Code must be supplied)	POA
FRONT WHEEL	*	
AWA0840	10" Grey Pneumatic	O
AWA0858	10" Grey Puncture Proof Sealed	O
AWA0842	10" Grey Puncture Proof Solid Inlay	<b>♦</b>
REAR WHEEL*		
AWA0771	14" Grey Pneumatic	0
AWA0773	14" Grey Puncture Proof Sealed	O
AWA0750	14" Grey Puncture Proof Solid Inlay	<b>♦</b>
MOTOR TYPE*		
AWA1277	6 km/h	<b>*</b>
	1	

BATTERY*			
AWA1364	73.5 AH Gel		•
SUSPENSION	J*		
AWA1203	Heavy Duty Suspension		•
PERFORMAN	ICE ACCESSORIES		
AWA1215	G-Trac (ensures the powerchair takes the intended direction as indicated by the user control, without the need for continual correction by the client on uneven or sloping terrain)		£703
CHARGER*			
AWA1343	OptiCharge Charger 8A (200 - 250V)		<b>*</b>
AWA1313	OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster		£130
LIGHTS*			
AWA1254	No Lights		•
AWA1437	LED Light system with indicators		£410
TRANSPORT	ATION KIT*		
AWA1494	4 Point Tie Down (Tested version for using wheelchair as a vehicle seat according to ISO7176-19:2001) Adequate headrest is compulsory		•
FIXATION BE	LT*		
AWA1455	Fixation Belt Extra long with Auto Lock		•
REAR VIEW I	MIRROR		
AWA1415	Rear view Mirror RH - Must be selected with 10 km/h Motor	(NC 2217)	£36
AWA1339	Rear view Mirror LH - Must be selected with 10 km/h Motor	(NC 2218)	£36
LUGGAGE RA	ACK		
AWA1394	Luggage Rack		£281
ACCESSORIE	<b>ES</b>		
AWA1312	Cane holder RH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)		£36
AWA1363	Cane holder LH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)		£36
AWA1417	Fenders for rear wheels		£104
		TOTAL PRICE	

Customer Ref:
Order Number:

Non Conforming Options:			
AWA0564	Reinforced hanger fixed angle (not detachable without tools)		
AWA0503	Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm		
AWA0599	Angle adjustable flip back heavy duty footboard		
AWA0522	Angle adjustable footboard (for max user weight 200kg)		
AWA2201	REM110 Drive only		
AWA2227	Bracket RH mounted for Attendant		
AWA2228	Bracket LH mounted for Attendant		
AWA2220	REM050 Dual Control (Please also select user control and bracket) (Please select dual control bracket)		
AWA2219	Compact Dual Control (ACU200) (Please select dual control bracket)		
AWA2245	Invacare LiNX IDC Dual control (Please select IDC dual control bracket below)		
AWA2217	10-Way Switch Bracket RH, Mounted for User		
AWA2218	10-Way Switch Bracket LH, Mounted for User		
AWA2227	10-Way Switch Bracket RH, Mounted for Attendant		
AWA2228	10-Way Switch Bracket LH, Mounted for Attendant		
AWA1437	LED Light system with indicators		

Storm 4 Max Page 6 of 7



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relayent option code or part	number):